

Authors' catalogue of the botanical articles published in the Journal of the Bombay Natural History Society (Vol. 1-66, 1886-1969)¹

Compiled by
A. R. DAS

INTRODUCTION

This paper brings together all the botanical articles that have appeared so far in this *Journal* from its very first volume till 1969. It would be useful to any person interested in Indian Botany. Attempt has been made here to present them in a very simple form as an aid to research workers. With a view to keep this lengthy catalogue within a moderate size only one main entry has been given for each article. Although no pain has been spared to maintain bibliographical accuracy, I shall be grateful to readers for detection of omissions and lapses. I am grateful to Miss D. Kanhere for her help in compilation of this catalogue.

ABDUS-SALAM, M. (1940): On the occurrence of *Cichorium intybus* Linn. (Chicory) in Hyderabad, Deccan. 41(3):680.

ABRAHAM, V. (1966): *Utricularia minutissima* Vahl.: a new record for North India. 63(2):459-460.

ACHARYA, H. N. (1933): The Ashoke tree. 36(4): 1021-1022.

AGARKAR, D. S. (1969): Three little known species of *Anabaenopsis* (Wolosz.) Miller from Gwalior, (M.P.). 66(2):411-412.

AGHARKAR, S. P. (1954): Chapters on the history of Botany in India by I. H. Burkill in this journal. 51(4):846-878, a correction. 52(1):228.

AHUJA, K. K. & CHERIAN, P. J. (1969): *Canscora concanensis* C.B. Cl. in Maharashtra. 66(3): 655-657.

AJREKAR, S. L. (1912): The Castor rust (*Melampsorella ricini*, De Toni). 21(3):1092-1095.

_____ (1919): On the identity of *Blastospora butleri* Syd. 26(2):696-697.

ALI, S. A. (1931): The role of Sunbirds and flower-peckers in the propagation and distribution of the tree-parasite *Loranthus longiflorus* Dest. in the Konkan (W. India). 35(1):144-149.

_____ (1932): Flower birds and bird flowers in India. 35(3):573-605.

ALI, S. I. (1957): *Dolichos bracteatus* Baker: Classification of nomenclature. 54(3):797-798.

_____ (1958): On the identity of *Kerstania* Rech. f. 55(2):378-380.

ALLEN, G. O. (1919): A few additions to the list of Mussoorie plants by James Marten in Vol. XIX, p. 475. 26(2):695-696.

_____ (1925): Notes on Charophytes from Gonda, U.P. 30(3):589-599.

ALMEIDA, M. R. (1968): Notes on *Boerhavia*. 65(1):266-268.

_____ (1969): Three new grasses from the former Bombay Presidency. 66(3):510-517.

ALSTON, A. H. G. (1955): A new weed for Ceylon. 53(1):151-152.

¹ Accepted April 1971.

CATALOGUE OF BOTANICAL ARTICLES

- APPALA NAIDU, B. (1953): A new species of *Sesamum*. 51(3):697-698.
- ARA, J. (1954): The flowering of *Strobilanthes auriculatus* Nees. 52(1):223-224.
- _____(1960): A cursory ecological survey of the flora and fauna of Hazaribagh National Park (Bihar). 57(2):326-338.
- ARGIKAR, G. P. & SOLANKI, M. S. (1954): Variation in the floral parts of *Solanum melongena* L. 52(1):226-228.
- ASLAM, M. & KAPOOR, S. L. (1969): A note on *Sonerila arguta* R. Br. ex Naud. (Melastomataceae). 66(3):661-662.
- BABU, C. R. (1968): *Anthriscus scandicina* (Webber) Mans (Apiaceae): a new record for India. 65(3):807-808.
- _____(1968): A new name in *Campanula* Linn. (Campanulaceae). 65(3):808-809.
- BAINBRIDGE, G. (1886): On an instance of fructification in staminiferous plant *Carica papaya*. 1(2): 72-73.
- BAKSHI, T. S. (1954): The vegetation of Pilani and its neighbourhood. 52(2-3):484-514.
- _____(1954): The genus *Cyathula* Lour. in India. 52(2-3):533-535.
- BALAKRISHNAN, N. P. & HENRY, A. N. (1961): *Boswellia ovalifoliolata* sp. nov. A new species of *Boswellia* from South India. 58(2):546-548.
- _____(1966): Nomenclatural notes on some flowering plants. 63(2):327-331.
- BALAPURE, K. M. (1965): Some plant records from the erstwhile Central Provinces and Berar. 62(3):455-462.
- BAMBER, C. J. (1906-1913): Plants of the Punjab. A brief descriptive key to the flora of the Punjab, North West Frontier Province and Kashmir. 18(4): 835-861; 19(1):59-86; 19(2):371-398; 19(3):683-721; 19(4):943-975; 20(2):468-502; 20(3):800-836; 20(4):1084-1102; 21(1):203-228; 21(3):1022-1059; 22(1):118-143; 22(3):569-597.
- BANERJI, G. H. (1921): Note on the cotton tree (*Bombax malabaricum*). 27(4):965.
- BANERJI, I. (1938): A note on the embryology of the ground nut (*Arachis hypogaea* L.). 40(3): 539-543.
- _____(1940): A contribution to the life history of *Tridax procumbens* Linn. 42(1):89-99.
- BANERJI, K. G. (1930): An instance of anomalous branching of the conjugation tubes of an Indian form of *Spirogyra neglecta* (Hass) Kuetz. 34(3): 842-844.
- BANERJI, M. (1952): Replacement of inflorescence by Turions in *Caldesia reniforme* Makino. 50(3):685-687.
- BANERJI, M. L. (1951): Two new species of *Pimpinella*. 50(1):88-90.
- _____(1952): Observations on the distribution of Gymnosperms in Eastern Nepal. 51(1): 156-159.
- _____(1953): Plants from East Nepal. 51(2):407-423; 51(3):543-560; 51(4):773-788.
- _____(1955): Some edible and medicinal plants from East Nepal. 53(1):153-155.
- _____(1955): A vasculum for the mountaineer. 53(1):158-160.
- _____(1958): Notes on the Liverwort Flora of East Nepal. 55(1):37-41.
- _____(1958): Botanical exploration in East Nepal. 55(2):243-268.
- _____(1961): Critical notes on *Acer campestre* Hiern. 58(1):305-307.
- _____(1961): The Ophioglossales in Nepal. 58(2):554-556.
- _____(1966): Rhododendrons in Nepal. 63(1):18-31.
- BANERJI, M. L. & THAPA, B. B. (1969): Orchids of Nepal. 66(2):286-296; 66(3):577-583.
- BANERJI, S. P. (1967): A new contribution in *Tournefortia* Linn. (Boraginaceae). 64(2):389.
- BANERJI, S. P. & BANERJI, R. N. (1967): Notes on *Argyreia involucrata* Clarke. (Convolvulaceae). 64(3):586-587.
- BANNERMAN, W. B. (1918): Cultivation of the edible date palm *Phoenix dactylifera* in South India. 25(4):763-764.
- BARCLAY, A. (1890): Description of a new fungus *Aecidium esculentum* Nov. Sp. on *Acacia eburnea* Willd. 5(2):161-165.
- BARNES, E. (1934): Some observations on the genus *Arisaema* on the Nilgiri Hills, South India. 37(3):630-639.
- _____(1944): Notes on the flowering plants of Billigirirangan Hills. 44(3):436-459.
- _____(1946): Some observations on South India *Commelinaceae*; two new species of *Commelina* from South India. 46(1):70-89.
- BASU, A. (1956): A specific for *Leucoderma*. 53(4):743-745.
- BEDDOME, R. H. (1908): Notes on Indian ferns. 18(2):338-342.
- BEDI, S. J. et al. (1968): Additions to the flora of Pavagadh Hill Gujarat State. 65(2):522-524.

- BENNET, S. S. R. (1965): *Jatropha tanjorensis* Ellis et Saroja: a new record for Eastern India. 62 (2):329.
- _____(1965): Occurrence of *Lindernia oppositifolia* (Retz.) Muk in West Bengal. 62(3): 600.
- _____(1969): A new variety of *Peristrophe bicalyculata* (Retz.) Nees. from W. Bengal. 66(1):229.
- _____(1969): *Phyllanthus mukerjeeanus* Mitra & Bannet new record for Orissa State. 66(3): 655.
- BENTHALL, A. P. (1950): *Mecardonia dianthera* (Sw.) Pennell. 49(2):322.
- BEZBARUAH, H. P. & BEZBARUAH, B. (1963): *Solanum aculeatissimum* Jacq. A new record for Northern India. 60(3):759-761.
- BHANDARI, M. M. (1954): On the occurrence of *Ephedra* in the Indian desert. 52(1):10-13.
- _____(1965): A note on the identification of some unrecorded desert plants from Kutch. 62 (2):332-335.
- BHARATI, S. G. (1959): A brief account of the flora of Visnagar, N. Gujarat and its environs. 56 (3):588-610.
- _____(1964): Chlorococcales from Kodai-kanal, South India. 61(2):475-479.
- BHARGAVA, K. S. (1959): Unusual and supplementary food plants of Kumaon. 56(1):26-31.
- BHARUCHA, F. R. & SATYANARAYAN, Y. (1954): A new species of *Arthraxon* from Purandhar (Bombay State). 52(2-3):481-483.
- BHATNAGAR, G. S. (1960): On the nomenclature of *Jasminum virgatum* Kerr. 57(2):442.
- BHUYAN, B. R. (1968): A note on the use of *Croton tiglium* Linn. seed as a fish poison in ponds. 65(1):236-239.
- BIRDWOOD, H. M. (1886): A catalogue of the flora of Matheran. 1(4):203-214.
- _____(1887): A catalogue of the flora of Mahableshwar and Matheran. 2(2):107-132.
- _____(1896): A catalogue of the flora of Matheran and Mahableshwar. 10(3):394-439.
- _____(1899): The hill forests of Western India. 12(4):659-674.
- _____(1904): Vegetation in Sind. 16(1): 172-173.
- BISHT, D. B. (1964): Toxicity of yellow Oleander *Thevetia peruviana*. 61(1):222-223.
- BISWAS, K. C. (1956): Pteridophytes of Cooch Behar. 53(3):493-496.
- BISWAS, K. P. (1930): Contributions to our knowledge of the freshwater Algae of Manipur (Assam). 34(1):180-192.
- _____(1932): Glimpses of the vegetation of South Burma. 36(1):285-287.
- _____(1935): Notes on the systematic position of *Sansevieria* growing in India with special reference to *S. laurentii* Wilderman. 38(1):154-157.
- _____(1945): A general review of the Marine Algae of the Western coast of India. 45(4): 515-530.
- BLATTER, E. (1905): The fauna and flora of our metallic money. 16(2):334-339.
- _____(1905): The mangrove of the Bombay Presidency and its biology. 16(4):644-656.
- _____(1906): The "Pectinate organs" of *Trapa bispirosa* Roxb. (Water chestnut). 17(1):84-88.
- _____(1906-07): Flowering seasons and climate. 17(2):334-350; 17(3):697-708.
- _____(1907): Acta et agenda by the Bombay Botanists. 17(3):562-577.
- _____(1907): *Cassia renigera* Wall. 17 (4):1036-1037.
- _____(1907): The flora of Aden. 17(4): 895-920; 18(1):54-68.
- _____(1908): Contributions to the flora of North Coimbatore. 18(2):390-429.
- _____(1908): The flora of the Bombay Presidency. 18(3):562-571.
- _____(1908): The ferns of the Bombay Presidency. 18(3):599-612.
- _____(1908): Ceylon ferns in the Bombay Natural History Society's Herbarium. 18(3): 639-648.
- _____(1908-09): On the flora of Cutch. 18(4):756-777; 19(1):157-176.
- _____(1909): The flora of Panchgani. 19(2):314-332.
- _____(1910): History of the sea coconut (*Lodoicea sechellarum* Labill.). 19(4):925-937.
- _____(1910): A bibliography of the Botany of British India and Ceylon. 20:Ixxix-clxxxv.
- _____(1910-1918): The Palms of British India and Ceylon indigenous and introduced. 20(1): 33-64; 20(2): 347-360; 20(3):675-705; 20(4):981-995; 21(1):66-86; 21(2):343-391; 21(3):912-968; 22(1):67-86; 22(3):444-463; 22(4):665-681; 23(2): 269-281; 23(3):516-531; 23(4):737-744; 24(1):66-71; 24(2):329-340; 24(3):507-538; 24(4):673-688; 25(1):52-62; 25(2):207-230; 25(3):386-415.

CATALOGUE OF BOTANICAL ARTICLES

- _____ (1911): A list of Indian Fungi chiefly of the Bombay Presidency with description of two new species. 21(1):146-152.
- BLATTER, E. & HALLBERG, F. (1917): Preliminary notes on a recent botanical tour to the High Wavy mountain. 25(2):290-296.
- _____ (1918): New Indian Scrophulariaceae and some notes on the same order. 25(3):416-429.
- _____ (1918): A revision of the Indian species of *Rotala* and *Ammannia*. 25(4):701-722; 26(1):210-217.
- _____ (1918): Contribution towards a flora of Persian Baluchistan and Makran. 25(4):723-739.
- BLATTER, E. (1918): The edible datepalm in Bombay. 26(1):306.
- BLATTER, E. & HALLBERG, F. (1918-21): The flora of the Indian desert. (Jodhpur and Jaisalmer). 26(1):218-246; 26(2):525-551; 26(3):811-818; 26(4):968-987; 27(1):40-47; 27(2):270-279; 27(3):506-519.
- BLATTER, E. (1926): The Luminescence in plants and animals. 31(3):748-753.
- _____ (1926-35): Revision of the flora of the Bombay Presidency. 31(3):547-557; 31(4):897-917; 32(1):14-33; 32(2):281-298; 32(3):408-435; 32(4):622-649; 33(1):7-25; 33(2):229-243; 33(3):480-496; 33(4):753-775; 34(1):12-26; 34(2):291-306; 34(3):623-637; 34(4):877-900; 35(1):13-31; 35(2):253-275; 35(3):484-495; 35(4):722-736; 36(1):13-28; 36(2):307-320; 36(3):524-537; 36(4):781-795; 37(1):15-35; 37(2):255-277; 37(3):532-548; 37(4):764-779; 38(1):6-18.
- _____ (1927): Viviparity in a thistle. 31(4):1039-1094.
- BLATTER, E. & McCANN, C. (1927): Two new species of grasses from Panchgani (Satara District). 32(2):357-358.
- BLATTER, E. (1928): A list of Orchids with some new species from the High Wavy mountain. (Madura District). 32(3):518-523.
- BLATTER, E. & McCANN, C. (1928): Some new species of plants from the Western Ghats. 32(4):733-736.
- BLATTER, E. (1929): New Commelinaceae from the Western Ghats. 33(1):73-77.
- _____ (1929): A new species of *Balanophora* from Mahableshwar, Bombay Presidency. 33(2):309-310.
- _____ (1929): Mosses of the Bombay Presidency the High Wavy mountain and Mt. Abu. 33(4):869-879.
- _____ (1929-30): The flowering of Bamboos. 33(4):899-921; 34(1):135-141; 34(2):447-467.
- BLATTER, E., MILLARD, W. S. (1929-1936): Some beautiful Indian trees. 33(3):624-635; 33(4):851-856; 34(1):83-86; 34(2):271-275; 34(3):716-719; 35(1):60-64; 35(2):289-296; 35(3):525-529; 35(4):824-825; 36(1):139-140; 36(2):353-355; 36(3):521-523; 36(4):778-780; 37(1):36-37; 37(2):310-313; 37(3):513-514; 37(4):749-750; 38(1):93-94; 38(2):229-231; 38(3):415-417; 39(1):1-2.
- BLATTER, E. (1930): What age can a tree reach? 34(2):594-597.
- _____ (1930): A request for material of *Trapa* (Water-Chestnut). 34(2):597.
- _____ (1930): A terrestrial Orchid found epiphytic. 34(2):599.
- _____ (1931): A new *Ceropegia* from the Western Ghats. 34(4):936.
- _____ (1931): Some notes on the flowering of Bamboos. 34(4):1097-1099.
- _____ (1931): Another new *Ceropegia* from the Western Ghats. 35(2):409.
- _____ (1932): A new *Gentian* from North Waziristan. 35(4):861.
- _____ (1932): A *Plantago* new to the Bombay Presidency. 35(4):915.
- _____ (1933): New plants from Waziristan. 36(2):477-484.
- BLATTER, E. & FERNANDEZ, J. (1933-1934): The flora of Waziristan. 36(3):665-687; 36(4):951-977; 37(1):150-171; 37(2):391-424; 37(3):604-619.
- BLATTER, E. & McCANN, C. (1933): Fruit of *Cryptocoryne tortuosa* Blatter and McCann. 36(3):760.
- BOLE, P. V. (1964): An interesting root-parasite from Saurashtra *Cistanche tubulosa* Wt. 16(2):472-473.
- BOLE, P. V. & SANTAPAU, H. (1951): A note on *Neuracanthus sphaerostachyus* Dalz. 50(2):428-430.
- BOLE, P. V. & SHAH, V. (1961): *Convolvulus pluricaulis* Choisy a synonym of *Convolvulus microphyllus* Sieb. 58(3):838-839.
- BOMBAY, R. D. (1940): On *Frerea indica*. 41(3):679.
- BOR, N. L. & RAIZADA, M. B. (1939-48): Some beautiful Indian climbers and shrubs. 41(1):1-11; 41(2):203-220; 41(3):453-460; 41(4):681-690; 42(1):1-12; 42(2):233-241; 42(3):455-471; 42(4):685-

- 703; 43(1):1-10; 43(2): 115-129; 43(3):291-297; 43(4):539-552; 44(1): 73-77; 44(2):159-163; 44(3): 315-321; 44(4):499-505; 45(1):1-4; 45(2):97-105; 45(3):263-279; 45(4):451-461; 46(1):1-12; 46(2): 205-216; 46(3):411-413; 46(4):567-575; 47(1):1-25; 47(2):195-196; 47(3):401-408.
- BOR, N. L. (1942): Fasciated inflorescence of *Acrocarpus fraxinifolius* Wight. 43(1):113-114.
- _____(1950): Two new species of *Ischaemum* from Bombay. 49(2):165-168.
- _____(1951): The genus *Vulpia* Gmel. in India. 50(2):340-343.
- _____(1952): The genus *Poa* Linn. in India. 50(4):787-838; 51(1):61-103.
- _____(1953-54): The genus *Cymbopogon* Spreng in India, Burma and Ceylon. 51(4):890-916; 52(1):149-183.
- _____(1961): A new grass from Bombay. 58(1):317-318.
- BOSE, S. R. (1930): On the true nature of nuclear divisions in old internodes of local *Tradescantia* stems. 34(3):840-841.
- BOURDILLON, T. F. (1897): The re-discovery of *Strychnos rheedii* (Clarke). 10(4):690-691.
- _____(1899): Descriptions of some new or rare trees from Travancore. 12(2):349-353.
- _____(1900): Description of a new species of *Ficus* from Travancore. 13(1):155-156.
- BOWDEN, E. (1950): The flowering of *Strobilanthes*. 49(3):576.
- BROOK-FOX, E. (1917): Fall of seed in rain storm. 25(2):313.
- BURKILL, I. H. (1908): The Indian Doum (*Hyphaene*) palm. 18(4):929-930.
- _____(1953-1963): Chapters on the history of botany in India. 51(4):846-878; 54(1):42-86; 58(3):678-706; 59(2):335-359; 59(3):747-777; 60(1):49-83; 60(2):356-370.
- BURNS, W. (1910): A tamarix association. 20(1): 198-200.
- _____(1911): A study of seashore vegetation. 20(4):1024-1027.
- _____(1912): Second year growth of plantain inflorescence. 21(2):706-707.
- BURTON, R. W. (1940): A visit to the Laccadive Islands. 41(3):489-513.
- _____(1952): The Linaloe tree (*Bursera delpechiana* Poisson). 51(1):116-120.
- _____(1960): Food from grass minus the cow. 57(3):702-703.
- CAIUS, J. F. (1935): The medicinal and poison-ous palms of India. 37(4):917-941.
- _____(1935): The Papaw tree. 38(1):41-60.
- _____(1935): The medicinal and poison-ous Sedges of India. 38(1):163-170.
- _____(1935): The medicinal and poison-ous ferns of India. 38(2):341-361.
- _____(1936): The medicinal and poison-ous Grasses of India. 38(3):540-584.
- _____(1936): The medicinal and poison-ous Orchids of India. 38(4):791-799.
- _____(1936): The medicinal and poison-ous Aroids of India. 39(1):127-141.
- _____(1937): The medicinal and poison-ous Spiderworts of India. 39(2):361-365.
- _____(1937): The medicinal and poison-ous Campions of India. 39(3):561-568.
- _____(1937): The medicinal and poison-ous Crowfoots of India. 39(4):712-729.
- _____(1938): Medicinal and poisonous plants of India. 40(1):69-95.
- _____(1938): Medicinal and poisonous Spurges of India. 40(2):264-313.
- _____(1938): Medicinal and poisonous plants of India: Waterlilies, Poppyworts, Fumitories. 40(3):513-527.
- _____(1939): The medicinal and poison-ous Crucifers of India. 40(4):693-712.
- _____(1939): Medicinal and poisonous plants of India. Capparids, Mignonettes, Violets, Rockroses, Bixads. 41(1):123-142.
- CAIUS, J. F. & RADHA, K. S. (1939): The gum arabic of the bazars and shops of Bombay. 41(2): 261-271.
- CAIUS, J. F. (1939): Medicinal and poisonous plants of India: Flacourtiads, Pittosporads, Milk-worts, Seaheaths, Purslanes, Tamarisks. 41(2):369-383.
- _____(1940): The medicinal and poison-ous Composites of India. 41(3):607-645; 41(4): 840-873.
- _____(1940): The pomegranate. 42(1): 13-37.
- _____(1940): The medicinal and poison-ous Flaxworts of India. 42(1):167-170.
- _____(1941): The medicinal and poison-ous Labiates of India. 42(2):380-420.
- _____(1941): The medicinal and poison-ous plants of India. Dammers, Guttifers, Silk-Cot-tions, Teas, Tutsans, Water-Peppers. 42(3):617-639.
- _____(1942): The medicinal mallowworts of India. 43(2):226-241; 43(3):494-505.

CATALOGUE OF BOTANICAL ARTICLES

- ____ (1943): The medicinal and poisonous Lindenblooms of India. 44(1):92-101.
- ____ (1945): The medicinal and poisonous Sterculiads of India. 45(4):576-586.
- CANE, A. G. (1886): Note on *Vigna vexillata*. 3(1):28-29.
- CARSTENSEN, G. (1888): The conditions for the distribution of plants and means by which it is performed with special regard to Indian species. 3(2): 98-112.
- ____ (1889): How to facilitate the study of Botany. 4(3):213-219.
- ____ (1890): Bombay Gardens. 5(4): 397-416.
- ____ (1891): Curious instance of abnormal inflorescence of *Caesalpinia (Poinciana) pulcherrima*. 6(1):71-72.
- ____ (1891): Landscape gardening in native states. 6(1):72-83.
- ____ (1891): Bombay Ferneries. 6(2): 153-175.
- ____ (1891): Doum palms in India. 6(2):271-273.
- ____ (1891): A gall on *Tamarix dioica*. 6(2):273.
- ____ (1891): A variety of *Butea frondosa*. 6(2):273-274.
- CHAKRAVARTY, H. L. (1952): New finds of Indian Cucurbitaceae. 50(4):894-901.
- CHAMPION, H. G. (1932): Flower-birds and bird-flowers. 36(1):267-268.
- CHANDRASEKHIAR, M. S. (1952): An unusual inflorescence of *Moringa oleifera* Lamk. 51(1):296-297.
- CHANDRASEKHARAN, S. N. & SAKHARAM RAO, J. (1950): A four-winged samara in the Indian elm *Holoptelea integrifolia* Planch. 49(3):572.
- ____ (1950): A note on the Polystachous inflorescence in *Enteropogon monostachyos* K. Schum. 49(3):577-578.
- CHATTERJEE, D. & KANJILAL, P. C. (1958): Identity of the plant Piyaman or Madarjamua. 55(3): 518-522.
- CHATTERJEE, D. (1959): William Jack, the Botanist (1795-1822). 56(3):449-456.
- ____ (1959): Identity of Tibeto-Himalayan *Ranunculus*. 56(3):669-672.
- ____ (1960): *Merremia tuberosa* (L.) Rendle: an ideal creeper for the plant house. 57(2): 443-445.
- ____ (1960): Bamboo fruits. 57(2):451-453.
- ____ (1960): The correct name of *Cassia glauca* and its varieties. 57(3):695-698.
- CHAVAN, A. R. & SABNIS, S. D. (1959): New record of *Mariscus paniceus* Vahl and *Cyperus leucocephalus* Retz. from Gujarat. 56(2):369-370.
- CHAVAN, A. R. & SABNIS, S. D. (1959): Record of *Cryptostegia madagascariensis* Boj. from Baroda. 56(3):675.
- ____ (1960): New plant records from Gujarat. 57(2):446-447.
- CHAVAN, A. R. & OZA, G. M. (1960): *Cucumis setosus* Cogn.—a new record for Bombay. 57(3): 699.
- ____ (1961): *Momordica denudata* Clarke (Cucurbitaceae) and *Trema politoria* Planch. (Ulmaceae): new records for Bombay. 58(1):303-304.
- CHAVAN, A. R. et al. (1962): On the identity of *Dalechampia indica* Wt. from Cutch and Kathiawar. 59(1):324-325.
- CHAVAN, A. R. & BEDI, S. J. (1962): *Canscora decussata* Roem. & Sch., a new record for Bombay State. 59(2):687.
- CHAVAN, A. R. & OZA, G. M. (1963): New host plants for *Dendrophthoe falcata* (Linn. f.) Etting at Pavagadh. 60(2):472-473.
- CHAVAN, A. R. & BEDI, S. J. (1964): New plant records from erstwhile Bombay State. 61(3):716-718.
- CHAVAN, A. R. et al. (1965): *Melhania hamiltoniana* Wall. a new record for Bombay State. 62(1):179-180.
- CHAVAN, A. R. & BEDI, S. J. (1966): New plant records from erstwhile Bombay State. 63(3):779-781.
- CHAVAN, A. R. et al. (1966): A few additions to the flora of Pavagadh. 63(3):786.
- CHERIAN JACOB, K. (1940): A bicellular coconut (*Cocos nucifera* L.). 41(4):905-906.
- ____ (1940): A new variety of Coconut palm (*Cocos nucifera* L. var. *spicata* K. C. Jacob). 41(4):906-907.
- ____ (1940): Stem fasciation in the Areca Palm (*Areca catechu* L.). 41(4):907.
- ____ (1941): A new species of *Coleus*. 42(2):320-322.
- ____ (1944): A new species of *Cordia*. 45(1):78-79.
- ____ (1947): Some new species of South Indian plants. 47(1):48-51.
- CHIBBER, H. M. (1913): On the leaf fall of the

- Indian Willow, (*Salix tetrasperma* Roxb.). 22(1) : 206-207.
- _____(1913) : On variations in the size of the leaves of *Calotropis gigantia* R. Br. 22(1) : 208.
- _____(1914) : The ramified roots of *Trapa bispinosa* Roxb. (Water chestnut). 23(2) : 380-381.
- CHOHAN, J. G. & SHAH, G. L. (1965) : On the occurrence of *Plantago psyllium* Linn. in Gujarat. 62(2) : 327-329.
- CHOHAN, J. G. et al. (1967) : *Elatine ambigua* Wt.: a new record for erstwhile Bombay State. 64 (1) : 135-136.
- CHOHAN, J. G. & SHAH, G. L. (1969) : Some more plants from Pavagadh Hill, near Baroda. 66(2) : 405-409.
- CHOPRA, I. C. & KAPOOR, L. D. (1952) : The poisonous and medicinal plants of India. 50(3) : 610-617.
- CHOPRA, R. N. et al. (1941) : Insecticidal and piscicidal plants of India. 42(4) : 854-902.
- CHOPRA, S. & KAPOOR, S. L. (1964) : On the occurrence of *Tristania burmannica* Griff. in India. 61(3) : 720-722.
- COMBER, T. (1904) : The origin of the English names of plants. 15(4) : 614-629.
- COOKE, T. (1887) : Note on the flora of Mahabaleshwar and Matheran. 2(2) : 133-140.
- _____(1896) : Supplementary note on the flora of Matheran and Mahabaleshwar. 10(3) : 440-448.
- COUCHMAN, G. H. H. (1892) : Notes on the flora and fauna of Kachin Hills. 7(4) : 447-451.
- CROIZAT, L. (1940) : Notes on Indian Euphorbiaceae *Croton bonplandianum* (*C. parsiflorum*) and *Euphorbia perbracteata*. 41(3) : 573-576.
- CULSHAW, J. C. (1950) : Some West-Bengal plants. 49(2) : 188-196.
- DAKSHINI, K. M. M. & CHAUHAN, R. K. S. (1965) : *Micrococca mercurialis* (Linn.) Benth.: an addition to the flora of the upper Gangetic Plain. 62(1) : 177.
- DAKSHINI, K. M. M. (1969) : *Heliotropium curassavicum* Linn.: an addition to the flora of Northern India. 66(3) : 660-661.
- DALGADO, D. G. (1891) : *Dalbergia spinosa*. 6(2) : 264-265.
- D'ALMEIDA, J. F. R. (1936) : On the occurrence of adhesive tendrils in *Bignonia venusta* Ker-Gawl. 38(3) : 601-603.
- _____(1941-42) : A contribution to the study of the biology and physiological anatomy of Indian marsh and aquatic plants. 42(2) : 298-304; 43(1) : 92-96.
- DASTUR, R. H. (1927) : A critical review of Sir J. C. Bose's "Nervous Mechanism of plants". 31(4) : 1009-1014.
- DATTA, R. M. & MITRA, J. N. (1947) : The systematic position of the family Moringaceae based on the study of *Moringa pterygosperma* Gaertn. (= *M. oleifera* Lamk.). 47(2) : 355-357.
- DAVIS, T. A. (1946) : A five-bunched inflorescence of a banana (*Musa paradisiaca* Linn. var.). 46(3) : 562.
- _____(1946) : A multi-headed Palmyra (*Borassus flabellifer* L.). 46(3) : 563.
- _____(1947) : Abnormal palms of South-Travancore. 47(2) : 398-400.
- DAVIS, T. A. (1948) : Abnormal palms of Travancore. A Bulbiferous Coconut palm. (*Cocos nucifera* L.). 47(3) : 527-529.
- _____(1948) : Abnormal bananas of Travancore. 47(4) : 700-704.
- _____(1948) : Abnormal palms of Travancore. Polycarpy in a Coconut (*Cocos nucifera* L.). 47(4) : 704-706.
- DAVIS, T. A. & SELVARAJ, J. C. (1964) : Floral asymmetry in Malvaceae. 61(2) : 402-409.
- DAVIS, T. A. & KUNDU, A. (1965) : Floral Structure and stamens in *Ceiba pentandra* (Linn.) Gaertn. 62(3) : 394-411.
- _____(1966) : Aestivation of perianths of *Areca catechu* Linn. fruits. 63(2) : 270-282.
- _____(1968) : The spirality of main stem and its relationship to that of off-shoots in *Euphorbia antiquorum* Linn. 65(1) : 262-266.
- DEB, D. B. (1957) : A new species of *Gleadowia* Gamble et Prain from Manipur. 54(3) : 799-801.
- _____(1958) : Endemism and outside influence on the flora of Manipur. 55(2) : 313-317.
- _____(1966) : A new synonymy in *Umbelliferae*. 63(2) : 455.
- _____(1966) : Contributions to the genus *Rubia* L. 63(3) : 781-783.
- DEBBARMAN, P. M. (1920) : A short note on the atrophic abortion of the inflorescence of the Onion (*Allium cepa* L.). 27(1) : 179-181.
- _____(1922) : A short note on the instances of Syncarpy in *Mangifera indica* L. and some other tropical plants. 28(2) : 560-561.
- DEMPSTER, F. E. (1894) : The flowering of *Grammatophyllum bromheadii*. 8(3) : 439.

CATALOGUE OF BOTANICAL ARTICLES

- DE NICEVILLE, L. (1890): Branching tree ferns. 5(1):86.
- _____(1891): Branching palms and tree-ferns. 6(4):486.
- DEODHAR, G. W. (1954): A six-locular capsule on the cotton plant. 52(1):221.
- DEY, A. C. et al. (1968): Flora of the Bhillangna Valley of the erstwhile Tehri Garhwal State. 65(2): 384-407.
- DHARMAKUMARSINHJI, R. S. (1960): Indian wild boar (*Sus scrofa cristatus* Wagner) feeding on *Borhavia diffusa* Linn. 57(3):654-655.
- DICKSON, V. (1938): Plants of Kuwait, North East Arabia. 40(3):528-538.
- DIXIT, S. C. (1932): Some seagrasses from the Presidency of Bombay. 36(1):284.
- DIXON, H. N. (1929): Moss collected in Waziristan by Mr. J. Fernandez in 1927. 33(2):279-283.
- _____(1937): Moss collected in Assam. 39(4):769-795.
- DIXON, R. M. (1894): The strychnine tree. 9(1): 102-105.
- _____(1895): On the size of Mango tree. 9(4):488.
- DUTHIE, J. F. (1894): A botanical tour in Kashmir 1892 (From Record of B.S.I.). 9(1):102-105.
- _____(1899): Description of a new *Androsace*. 12(4):675.
- _____(1903): Extract from the annual report of the Director of the Botanical Department, Northern India, for the year 1900-1901. 14(1):168-169.
- DUTTA, A. K. (1961): A comment on the record of *Khava senegalensis* A. Juss. from Pondicherry: 58(2):542-543.
- DATTA, B. S. M. (1950): A note on the occurrence of the Alga *Draparnaldiopsis* near Kakinada, Madras Presidency. 49(2):323.
- DUTTA, B. S. M. (1952): A case of heterophphyly in *Asteracantha longifolia* Nees. 50(3):684.
- DUTTA, N. M. (1960): The genus *Veronica* Linn. of Eastern India. 57(3):590-596.
- DYMOCK, W. (1887-1888): Marathi names of plants, with a glossary. 2(3):175-198; 2(4):228-242; 3(1):30-43.
- _____(1888): The means of self protection possessed by plants. 3(3):232-238.
- _____(1890): Notes on the economic botany of the Cucurbitaceae of Western India. 5(3):286-295.
- _____(1891): *Alocasia macrorhiza*. 6(2): 270.
- _____(1891): Substances used as incense in the East. 6(3):399-410.
- _____(1891): On the value of the plant Pangala (*Pogostemon parviflorus*) in cases of bites by the Phursa snake (*Echis carinata*). 6(4):450-457.
- EDITORS (1915): The Beda weed (Nile Lily) *Eichhornia speciosa* Solms. 23(3):588-590.
- _____(1957): Caterpillar-parasiting fungus. 54(4):973-974.
- _____(1959): *Cedrela toona* Roxb. in Rajasthan. A correction. 56(3):672.
- ELLIS, J. L. & SAROJA, T. L. (1961): A new species of *Jatropha* from South India. 58(3):834-836.
- ELLIS, J. L. (1967): Fruit of *Jatropha tanjorensis* Ellis et Saroja. 64(2):394-395.
- ELLIS, J. L. & SWAMINATHAN, M. S. (1969): A new variety of *Crotalaria madurensis* from South India. 66(1):227-228.
- _____(1969): Notes on some interesting plants from South India. 66(1):233-234.
- ERADY, N. A. & RAJAPPAN, K. (1958): A note on *Aeginetia acaulis* (Roxb.) Walp. 55(1):125-128.
- ERADY, N. A. (1962): On self-conjugation in a new species of *Spirogyra* Link. 59(2):700-703.
- _____(1967): A new species of *Christisonia* Garden from South India. 64(1):10-12.
- EWBANK, R. B. (1932): The hot-weather ferns of Mahableshwar. 36(1):188-195.
- FERNANDES, R. R. & SANTAPAU, H. (1954): Critical notes on the identity and nomenclature of some Bombay plants. 52(1):137-141.
- FERNANDES, R. R. et al. (1954): New plant records for Bombay. 52(2-3): 661-663.
- _____(1964): A sedge new to Bombay. 61(2):474-475.
- FERNANDEZ, J. (1930): A list of mosses from Darjeeling District. 34(2):600-601.
- FIELD, F. (1908): A branching date palm. (*Phoenix sylvestris*). 18(3):699-700.
- FISCHER, C. E. C. (1904): Abnormal growth of trees. 15(3):532.
- _____(1904-1905): Notes on the flora of Northern Ganjam. 15(4):537-556; 16(3):473-483.
- _____(1906): A remarkable tree. 17(2): 527.
- _____(1908): Plants used in paper making. 18(3):703-704.
- _____(1937): Some observations on botanical nomenclature. 39(4):874-877.
- _____(1938): Where did the sandal wood

- tree (*Santalum album* Linn.) evolve? 40(3):458-466.
- FOREAU, G. (1961): The moss flora of the Palni Hills. 58(1):13-47.
- _____(1964): Some South Indian mosses. 61(1):223-226.
- GAMMIE, G. A. (1894): A botanical tour in Sikkim (from Record B.S.I.). 9(2):197-216.
- _____(1903): Extract from the report on the Botanical Survey operations in the Bombay Presidency for the year 1900-1901. 14(1):169-171.
- _____(1903): The trees and shrubs of the Lonavla and Karla groves. 15(2):279-293.
- _____(1905-1912): The orchids of Bombay Presidency. 16(3):429-433; 16(4):562-569; 17(1):31-37; 17(4):940-942; 18(1):88-91; 18(3):586-590; 18(4):833-834; 19(1):139-141; 19(3):624-626; 20(1):126-129; 20(3):597-602; 21(1):171-174; 21(4):1129-1130.
- GANPATI, S. V. (1940): The ecology of a temple tank containing a permanent bloom of *Microcystis aeruginosa* (Kutz.) Henfer. 42(1):65-77.
- GANDHI, H. P. (1957): A contribution to our knowledge of the Diatom genus *Pinnularia*. 54(4):845-852.
- _____(1958): Freshwater Diatoms from Kolhapur and its immediate environs. 55(3):493-511.
- _____(1960): The Diatom flora of the Bombay and Salsette Islands. 57(1):78-123.
- GANGULEE, H. C. (1963): Mosses of Eastern India. 60(3):606-637.
- GAUDET, J. J. (1960): The submerged leaves of *Nymphaea pubescens* Willd. 57(1):234-236.
- _____(1963): The aquatic plants of the Khandala Talao. 60(1):290-295.
- GHILDYAL, B. N. (1957): A botanical trip to the valley of flowers. 54(2):365-386.
- GHOSE, S. L. (1916): Occurrence of the fern *Peranema cyatheoides* at a comparatively low altitude. 24(3):616.
- _____(1917): The cone of *Selaginella pallidissima* Spr. 25(2):284-289.
- GHOUSUDDIN, M. (1936): A preliminary survey of the Algal flora of Hyderabad (Deccan). 39(1):149-150.
- GLEADOW, F. (1894): The poisonous plants of Bombay. 9(1):105.
- GOKHALE, A. V. & GODBOLE, S. R. (1953): The herbarium at the Poona Agricultural College. 51(4):963-964.
- GONSALVES, E. A. & JOSHI, D. B. (1946): Freshwater algae near Bombay. 46(1):154-176.
- GONSALVES, E. A. & KAMAT, N. D. (1960): New species of Cyanophyceae from Mysore State. 57(2):454-456.
- GONSALVES, E. A. & SONNAD, G. R. (1961): The genus *Oedogonium* in Mysore State. 58(3):715-723.
- GOYAL, S. K. (1962): Algal flora of Jodhpur and its environs. 59(2):447-452.
- _____(1964): Algal flora of Jodhpur and its environs. 61(1):69-73; 61(2):385-395.
- GRAHAM, R. J. D. (1913): Notes on a collecting tour at Ramtek, C. P. 22(2):237-241.
- _____(1915): Notes on ferns collected at Pachmarhi, C.P. 23(3):498-501.
- GRAVELY, F. H. (1945): Indian lawn grasses. 45(3):444.
- GRIFFITH, F. (1891): Bombay ferneries. 6(3):421-423.
- GUPTA, K. M. (1955): On the occurrence of *Marsilea aegyptiaca* Willd. in Jodhpur, Rajasthan, India. 52(4):954-956.
- _____(1955): A new species of *Marsilea* from Ajmer, India. 53(2):289-292.
- GUPFA, K. M. & BHARDWAJA, T. N. (1956-1958): Indian Marsileas: their morphology and systematics. 53(3):423-444; 54(3):550-567; 55(2):287-296.
- GUPTA, R. & BANERJI, R. (1967): Studies in taxonomy and ecology of *Bursera delpechiana* Poiss. ex Engl. in India. 64(1):49-54.
- GUPTA, R. K. (1956): Botanical explorations in Bhillangna Valley of the erstwhile Tehri Garhwal State. 53(4):581-594.
- _____(1957): Botanical explorations in the Bhillangna Valley of the erstwhile Tehri-Garhwal State II. 54(4):878-886.
- _____, et al. (1959): Some medicinal weeds in and around Pondicherry. 56(2):235-249.
- _____(1960): Vegetation of Kodaikanal in South India. 57(1):45-65.
- _____(1960): Some useful and medicinal plants of Nainital in the Kumaon Himalayas. 57(2):309-324.
- _____(1961): Flora of District Muzafarnagar in the Doab of the rivers Ganga and Yumna. 58(3):749-775.
- _____(1962): Vegetation of Kodaikanal in South India. 59(1):185-199.
- _____(1962): Botanical explorations in the erstwhile Tehri Grhwal State. 59(2):486-512.
- HALDANE, J. B. S. (1960): The water-hyacinth—

CATALOGUE OF BOTANICAL ARTICLES

- an appeal for information. 57(1):243.
- HAMED, A. (1940): Notes on the Orchids of Murree Hill. 41(4):778-783.
- _____(1942): Notes on the liverworts of Murree Hill. 43(2):190-199.
- _____(1947): Notes on the ferns and fern allies of Murree Hill. 47(1):75-84.
- HART, W. E. (1886): Note on a supposed root-parasite found at Mahableshwar in October, 1885. 1(2):75-77.
- HENDERSON, C. (1929): Some orchids not previously recorded from Ganjam District, Madras Presidency. 33(4):1003.
- HENRY, A. N. (1965): A new species of *Laurembergia* Berg. (Haloragaceae) from Madras State. 62(3):603-605.
- HEWETSON, C. E. (1951): Preparation of a flora for Madhya Pradesh and the Central parts of the Indian Union. 50(2):431-433.
- _____(1952): Systematics and ecology of Indian plants or what can we demand of a modern flora. 51(1):140-144.
- HOPE, C. W. (1899-1904): The ferns of North Western India. 12(2):315-325; 12(3):527-538; 12(4):621-633; 13(1):25-36; 13(2):236-251; 13(3):443-461; 13(4):657-671; 14(1):118-127; 14(2):252-266; 14(3):458-480; 14(4):720-749; 15(1):78-111; 15(3):415-429.
- HOWARD, A. & HOWARD, L. C. (1911): The improvement in the yield and quality of Indian wheat. 21(1):187-200.
- HU, HSEN-HSU. (1956): China's book-like rock formation with 25 million year old plant fossils. 54(1):225-226.
- HUBBACK, T. (1933): Note on the Ashoka tree. 36(4):1023.
- HUDSON, C. (1892): The giant betel-nut tree. 7(4):553-554.
- HUGHES, R. D. B. (1962): A weeping tree. 59(1):318.
- HUTTON, A. F. (1949): Mass flowering of *Strobilanthes kunthianus* on the high wavy mts. in August, 1948. 48(3):614.
- INDRAJI, J. (1894): The bhakha plant (*Indigofera cordifolia*) and its effects on cattle. 8(3):444-447.
- INGLIS, C. M. (1949): *Bougainvilleas* at hill-stations. 48(3):612.
- IVENS, J. H. A. (1912): Notes on the flora of the vale of Kashmir. 21(2):701-705.
- JACKSON, H. S. J. (1891): Landscape gardening in native states. 6(4):478-485.
- JACKSON, J. (1891): Bombay ferns. 6(3):423-424.
- JACOB, K. C. (1935): Stem fasciation in coconut palm (*Cocos nucifera* Linn.). 37(4):966-967.
- _____(1938): A fasciated inflorescence in a Banana. 40(3):581.
- JAUHAR, P. P. & JOSHI, A. B. (1965): A new species of *Panicum coloratum* Linn. Complex. 62(2):320-323.
- _____(1968): Some infraspecific taxa of the *Panicum coloratum* L. Complex. 65(2):518-522.
- JIVANNA RAO, P. S. (1920): An anomaly in floral biology. 26(4):1049-1050.
- JOSEPH, J. & RAMAMURTHY, K. (1961): Occurrence of *Utricularia hirta* Klein in South India. 58(3):832-833.
- JOSEPH, J. & CHOWDHURY, S. (1966): *Oberonia sulcata* Jos. et Chowd.: a new orchid from Kameng Frontier District, NEFA, Assam. 63(1):54-56.
- JOSEPH, K. V. (1958): Preliminary studies on the seasonal variation in starch content of bamboos in Kerala State and its relation to Beetle-borer infestation. 55(2):221-227.
- JOSHI, A. C. (1933): Inflorescence of *Asteracantha* Nees. 36(3):765-767.
- JOSHI, M. C. (1957): On the occurrence of *Fritschella tuberosa* Iyeng. in Pilani (Rajasthan). 54(4):970-973.
- JOUGUET, H. (1928): Plants and insects. 32(4):807-809.
- _____(1928): Weeds of the Indian way-side. 32(4):810-812.
- KALYANASUNDARAM, S. (1954): Occurrence of a bi-foliate leaf in *Citrus aurantium* L. 52(1):221-222.
- KAMAT, N. D. (1965): Preservatives for fresh water algae. 62(1):182-184.
- _____(1967): Cyanophyceae of Ahmedabad. 64(2):397-400.
- _____(1968): Algae of Alibag, Maharashtra. 65(1):88-104.
- _____(1968): Algae of Simla. 65(1):271-277.
- KAMMATHY, R. V. & SUBRAMANYAM, K. (1967): *Limnocharis* H. B. K., a genus new to India. 64(2):389-390.
- KANODIA, K. C. & GUPTA, R. K. (1968): Sand dune flora of Western Rajasthan. 65(3):681-695.
- KANTARAO, J. L. & VENKATESWARLU, V. (1950): Reduplication in the epicalyx of *Hibiscus* L. 49(1):133-134.

- KAPADIA, G. A. (1941): Abnormal seedling of *Mangifera indica* Linn. N.O. Anacardiaceae. 42(2): 450-452.
- _____(1945): Notes on some grasses from Junagadh. 45(2): 259-262.
- _____(1947): Variation in the flowers of *Quisqualis indica* Linn. (Order Combretaceae). 47(2): 334-337.
- _____(1950): *Strobilanthes callosus* (Nees) at Junagadh and Saurashtra. 49(2): 321-322.
- KAPOOR, L. D. et al. (1951): Survey of economic vegetable products of Jammu and Kashmir. 50(1): 101-127.
- _____(1963): A botanical tour to Trikuta Hills. 60(3): 530-545.
- KAPOOR, S. L. (1962): A new locality for *Gymnosporia bailadillana* Narayan & Mooney. 59(2): 685-686.
- _____(1962): On the Botany of Lucknow District. 59(3): 862-896.
- _____(1962): Observations on the flora of Agra District with some new records. 59(3): 976-983.
- _____(1963): A note on the occurrence of *Rhynchospora longisetis* R. Br. in India with some interesting observations. 60(2): 479-480.
- _____(1964): A contribution to our knowledge of the flora of the Mahendragiri Hills of Orissa. 61(2): 354-369.
- _____(1967): A note on *Micholitzia obcordata* N.E. Brown. Asclepiadaceae. 64(2): 395-396.
- KAR, A. K. (1948): On the occurrence of white rust on *Amaranthus polygamus* Linn. 48(1): 197-198.
- KASHYAP, G. (1961): *Shorea talura* Roxb. A synonym of *S. Roxburghii*. G. Don. 58(2): 543-544.
- KASHYAP, S. R. (1916-17): Liverworts of the Western Himalayas and the Punjab, with notes on known species and description of new species. 24 (2): 343-350; 25(2): 279-281.
- KAUL, K. N. (1959): The "Red Triangle" Bougainvillea. 56(1): 160-162.
- KAUSHIK, J. P. (1969): A note on Commelinaceae of Northern Madhya Pradesh. 66(2): 409-410.
- KAUSHIK, J. (1969): On *Cuscuta reflexa* Roxb. in Gwalior, M.P. 66(3): 663-665.
- KAZMI, F. (1962): Some new records of *Plagiogyria* from India. 59(2): 697-698.
- KELKAR, S. S. & NAVALKAR, B. S. (1958): Observations of vivipary in *Erythrina indica* Lamk. 35(2): 380-382.
- KHANNA, L. P. (1930): Collecting of Liverworts at Maymyo. 34(2): 599-600.
- _____(1930): Some liverworts of the order Marchantiales from Burma. 34(3): 844-846.
- _____(1931): An abnormal fruit of *Dipterocarpus tuberculatus* Roxb. 34(4): 1102.
- _____(1932): Cotyledonary vegetative reproduction in Mango (*Magnifera indica* Linn.). 35 (4): 917.
- _____(1937): On two new species of *Anthoceros* Linn. 1753 from Southern Shan States, Burma with a comparative chart of the dioecious dark spored species of the genus. 39(2): 358-360.
- KINGDON-WARD, F. (1944-45): A sketch of the Botany and geography of North Burma. 44(4): 550-574; 45(1): 16-30; 45(2): 133-148.
- _____(1946): Additional notes on the botany of North Burma. 46(2): 381-390.
- _____(1954): Report on the forests of the North Triangle, Kachin State, North Burma. 52(2-3): 304-320.
- KIRTIKAR, K. R. (1886): A note on *Pandanus odoratissimus* or screw palm. 1(2): 68-69.
- _____(1886): An abnormal development in *Musa sapientum*. 1(2): 73.
- _____(1886): On the fruit of *Trapa bispinosa*. 1(2): 74.
- _____(1886): Note on *Kasra* or *Scirpus kysoor*. 1(2): 74-75.
- _____(1886): Note on a recent paper by Dr. Bonavia on the mango. 1(4): 200-203.
- _____(1886): Note on the *Gloriosa superba*. 1(4): 226-227.
- _____(1886): Freak in a *Zinnia pauciflora* observed and exhibited. 1(4): 228-229.
- _____(1887): The Indian Hepaticae. 2(4): 250-253.
- _____(1886): Floklore of Indian plants. 3(1): 54-63.
- _____(1891): Notes on a rare fungus found growing on the Drumstick tree. 6(2): 219-222.
- _____(1892): Indian flowers. 7(4): 512-529.
- _____(1892-1903): The poisonous plants of Bombay. 7(1): 61-76; 7(2): 203-207; 7(3): 312-317; 7(4): 487-493; 8(1): 99-106; 8(2): 223-230; 8(3): 331-334; 8(4): 453-461; 9(1): 42-60; 9(2): 147-176; 9(3): 235-258; 9(4): 345-365; 10(1): 88-107; 10(2): 260-279; 10(3): 482-502; 10(4): 618-627; 11(2): 252-261; 11(4): 606-623; 14(1): 20-45; 15(1): 56-69.
- _____(1895): *Hemidesmus indicus*. 9(4):

CATALOGUE OF BOTANICAL ARTICLES

493.

- _____(1896): *Pythonium wallichianum* Kunth. 10(3):530-531.
- _____(1907): A note on an edible puffball from the Thana District. 17(3):816-817.
- _____(1907): A note on an edible fungus from Lahore. 17(4):1030-1031.
- _____(1912): A note on *Trichosanthes dioica*, Roxb. 21(2):700-701.
- KOHLI, P. N. (1939): Occurrence of two plants in Kashmir. 40(4):777.
- KOTELNIKOV, B. (1960): The main Botanical Gardens of the U.S.S.R. 57(1):240-242.
- KOUL, S. C. (1941): Some wild flowers of Kashmir and their indigenous use. 42(2):452-454.
- KULKARNI, L. B. (1909): The drugs of Sirsi and Kappat Hills. 19(3):574-581.
- _____(1922): A case of plant surgery. 28(3):815-816.
- KUMAR, L. S. S. & ABRAHAM, A. (1943): The papaya, its botany culture and uses. 44(2):252-256.
- _____(1944): A new variety of papaya, *Carica papaya* var. *flava* from Travancore. 44(4):602-605.
- _____(1945): A new variety of Papaya (*Carica papaya* var. *flava*). 45(3):443-444.
- KUMARI, G. R. (1968): Tetralocular fruits in *Cleistanthus collinus* (Roxb.) Benth. ex Hook. f. 65(1):269-270.
- KUNDU, B. C. (1941): Two new *Nitellas*. 42(4):843-846.
- _____(1942): A revision of the Indian species of *Hodgsonia* and *Trichosanthes*. 43(3):362-388.
- _____(1943): The morphology of the spines of *Hygrophila spinosa* T. Andres. 43(4):678-680.
- LADWA, H. R. & PATIL, R. M. (1959): A new plant record for India—*Erigeron floribundus* (H.B.K.) Sch. Bip. 56(3):673-675.
- _____(1961): Compositae of Dharwar and its vicinity. 58(1):68-80.
- LADWA, H. R. (1962): Ecological observations on the orchids of North Karnataka. 59(1):327-329.
- LAKSHMANAN, C. (1951): A note on the occurrence of turions in *Hydrilla verticillata* Presl. 49(4):802-804.
- LAUD, D. S. (1931): The fern-palm. 34(4):1101-1102.
- _____(1933): Flowering season of the spotted *Gliricidia* (*G. maculata*). 36(3):760.
- LAWRENCE, C. A. (1959): Observations on the flora of Marunduvalmalai, Kanyakumari (Cape Comorin). 56(1):95-100.
- _____(1960): The vegetation of Kanyakumari District (Cape Comorin). 57(1):184-195.
- LEVEILLE, F. H. (1891): Concerning the presence of the *Taraxacum officinale* in the Nilgherries. 6(1):106.
- LISBOA, J. C. (1887): Notes on Mahableshwar and other Indian arrowroot yielding plants. 2(2):140-147.
- _____(1889): Short notes on the odoriferous grass (Andropogons) of India and Ceylon, with a description of supposed new species. 4(2):118-124.
- _____(1890-1893): List of Bombay grasses. 5(2):116-131; 5(3):226-232; 5(4):337-349; 6(2):189-219; 7(3):357-390; 8(1):107-119.
- _____(1891): A list of the odoriferous grasses of India, with a description of a new species of *Andropogon*. 6(1):64-71.
- _____(1892): Bombay grasses. 7(3):357-390.
- _____(1892): Hereditary disease of the branches and leaves of *Ficus tsieila*. 7(1):76-84.
- _____(1896): The poisonous plant *Sheula* (*Amorphophallus commutatus* Engler). A corrected description. 10(3):527-530.
- LOWNDES, D. G. (1947): Flowering of Bamboos. 47(1):180.
- LOYAL, D. S. & VERMA, S. C. (1960): Ferns of Nainital. 57(3):479-490.
- LUARD, C. E. (1918): A variety of *Butea frondosa*. 26(1):305-306.
- MACDONALD, D. (1886): Memorandum on the species of *Balanophora* found and described by Mrs. W. E. Hart. 1(2):78-79.
- MACMILLAN, H. F. (1908): Some beautiful tropical trees and their uses. 18(4):887-892.
- MACPHERSON, T. R. M. (1890): List of ferns gathered in North Kanara. 5(4):375-377.
- MAHABALE, T. S. & PARTHASARATHY, M. V. (1963): The genus *Phoenix* Linn. in India. 60(2):371-387.
- MAHABALE, T. S. & SHIRKE, N. (1967): The genus *Caryota* in India. 64(3):462-487.
- MAHALUXMIVALA, C. D. (1903-1094): Notes on some of the plants introduced into the Victoria Gardens, Bombay during the past eight years. 14(1):128-131; 14(2):356-361; 14(4):776-711; 15(4):674-678.
- MAHESHWARI, J. K. (1957): Some name changes

- in the flora of India. 54(3):804-805.
- _____(1960): The vegetation of marshes swamps and riverside in Khandwa District (Madhya Pradesh). 57(2):371-387.
- _____(1961): Weeds and alien plants of Asirgarh, M.P. 58(1):202-215.
- MAHON DALY, W. (1895): Periodical flowering of *Strobilanthes kunthianus*. 9(4):487.
- MAITY, P. C. (1965): *Solanum khasianum* var. *chatterjeeanum* Sen Gupta. The possibility of a steroid hormone industry in India. 62(2):324-327.
- MAJUMDAR, N. C. (1967): *Pseudostellaria heterophylla* (Miq.) Pax F. *nepalensis* Majumdar. A new addition to the Himalayan flora. 64(3):589-590.
- MAJUMDAR, R. B. (1954): Proliferation in grass. 52(1):222-223.
- MANDAVILLE, J. (1965): Notes on the vegetation of Wádi as Sahba, Eastern Arabia. 62(2):330-332.
- MARATHE, K. V. & NAVALKAR, B. S. (1960): Phyllody of the gynoecium and androecium in Ylang Ylang tree. *Cananga odorata* Hook. 57(3):700-701.
- MARI GOWDA, M. H. (1957): *Bougainvillea butiana* Holttum et Standley, and its cultivars in Lalbagh, Bangalore. 54(3):801-804.
- MARIES, C. (1897): Gum from the weavers beam tree. 11(2):326.
- MARTEN, J. (1909): List of ferns found at and around Mussoorie, 1908. 19(1):179-183.
- _____(1909): Plants gathered in and about Mussoorie during 1908. 19(2):475-501.
- MATTHEW, K. M. (1959): The vegetation of Kodaiakanal grassy slopes. 56(3):387-422.
- _____(1965): The exotic flora of Kodaiakanal. 62(1):56-75.
- MAYNE, W. W. (1951): A teratosis of *Mussaenda hirsutissima* Hutch. 50(2):426-427.
- _____(1958): Some notes on the genus *Mussaenda* Linn. 55(3):592.
- MAYURANATHAN, P. V. (1936): On the flowering of *Strobilanthes* in 1934. 38(3):636.
- _____(1938): The original home of the coconut. 40(2):174-182.
- _____(1939): The original home of the coconut. 40(4):776-777.
- _____(1939): Variation in the leaves of *Euphorbia caducifolia* Hains. 41(1):183-185.
- McCANN, C. (1928-29): The study of plant life. 32(4):692-703; 33(1):35-46; 33(2):262-278.
- _____(1930): Notes on the flowering of *Strobilanthes callosus* Nees. 34(1):264-265.
- _____(1930): Notes on some of the wild species of Aroids. 34(2):518-521.
- _____(1930): Notes on *Tacca pinnatifida* Forst. 34(2):597.
- _____(1931): Occurrence of Isoetes in the Bombay Presidency. 35(2):471.
- _____(1932): Termite fungi. 35(4):909-910.
- _____(1933): The flying fox (*P. giganteus*) and the palm squirrel (*F. tristriatus*) as agents of pollinization in (*Grevillea robusta* A. Cunn.) the silky Oak. 36(3):761-764.
- _____(1934): Observations on *Ceratophyllum demersum* Linn. 37(3):681-687.
- _____(1935): Some observations on *Nymphaea pubescens* Willd. 37(4):895-901.
- _____(1939): Additions to the description of *Frerea indica* Dalz. (Asclepiadaceae) and some observations on the species. 41(1):143-145.
- _____(1941): Vultures and palms. 42(2):439-440.
- _____(1941): Occurrence of *Synantherias sylvatica* Schott in the Bombay Presidency and notes on some other Araceae of interest. 42(4):796-799.
- _____(1942): Observations on Indian duckweeds *Lemnaceae*. 43(2):148-162.
- _____(1943): The flowering of *Strobilanthes callosus* Nees. 44(1):143-144.
- _____(1943): Light windows in certain flowers. 44(2):182-184.
- _____(1944): The genus *Brachystelma* R. Br. An addition to the flora of Bombay Presidency. 44(3):494-496.
- _____(1945): New species of *Ceropegia* and the synonymy of the Indian species. 45(2):209-211.
- _____(1945): Notes on the genus *Ruppia* (Ruppiaceae). 45(3):396-402.
- _____(1946): Field observations on the *Sterculias* of the Bombay Presidency. 46(3):445-453.
- _____(1947): *Randia corymbosa* Wight & Arn. (Rubiaceae). A new record for Bombay Presidency. 46(4):740-741.
- _____(1952): Notes on the genus *Salicornia* Linn. (Chenopodiaceae). 50(4):870-873.
- _____(1952): Notes on the genus *Ludwigia* Linn. 50(4):956-957.
- _____(1952): Longevity of succulents in herbaria. 50(4):958-959.
- _____(1959): Seed dispersal. 56(2):165-182.

CATALOGUE OF BOTANICAL ARTICLES

- MEHER-HOMJI, V. M. (1965): On the 'Sudano-Deccanian' floral element. 62(1):15-18.
- MENON, T. C. K. (1956): The essential oil of *Cymbopogon travancorensis* Bor. 53(4):742-743.
- MILLARD, W. S. (1911): The varieties of *Hibiscus* cultivated in gardens. 20(3):892-894.
- MISRA, J. N. (1956): A systematic account of some Littoral Marine Diatoms from the West Coast of India. 53(4):537-568.
- MITAL, P. L. (1969): Ferns and fern-allies of Rajasthan. 66(1):31-42.
- MOHAMMAD, A. (1935): Abnormal flowers of the Radish (*Raphanus sativus* Linn.). 38(2):412-413.
- MORRIS, R. C. (1958): Flowering of *Strobilanthes*. 55(1):185-186.
- MUDALIAR, C. R. (1950): A new variety of *Cucurbita maxima*. 49(2):242-243.
- MUDALIAR, C. R. & KAMATH, H. S. (1954): Backwater flora of the West coast of South India. 52(1):69-82.
- MUKHERJEE, A. K. & BANERJEE, L. K. (1968): Three new plant records for West Bengal. 65(1):268-269.
- MUKHERJEE, S. K. (1953): Vegetation of the Delhi "Ridge". 51(2):439-465.
- _____(1953): A new species of *Polygala* from Burma and a new variety of *P. hyalina* Wall. ex Hassk. 51(2):524-525.
- _____(1959): A new *Polygala* from S. India. 53(1):54-56.
- MULLAN, D. P. (1945): The biology and anatomy of *Scirpus grossus* Linn. fil. 45(3):402-407.
- MULLAN, J. P. (1910): Some notes on the palm *Oreodoxa regia*. 19(4):1010-1011.
- MURTHY, M. H. S. (1953): The androecium of *Tavaerniera nummularia* DC. 51(4):962.
- NAIK, V. N. (1967): *Amaranthus polygonoides* Linn. from Osmanabad District: a new record for India. 64(1):134-135.
- NAIR, N. C. & NATHAWAT, G. S. (1956): Vegetation of Pilani and its neighbourhood. 54(1):91-106.
- _____(1957): Vegetation of Harsh Nath Aravalli Hills. 54(2):281-301.
- NAIR, N. C. & KANNODIA, K. C. (1959): A study of the vegetation of Ajit Sagar Bundh, Rajasthan. 56(3):524-557.
- NAIR, N. C. (1960): *Brucea amarissima* (Lour.) Merr a new record for South India. 57(1):237-238.
- NAIR, N. C. & DESHPANDE, M. B. (1960): A note on the occurrence of *Acanthospermum hispidum* DC. in Rajasthan. 57(2):441-442.
- NAIR, N. C. (1961): Vegetation of Jhunjhunu Mandrela, and the neighbouring places. 58(2):433-440.
- NAIR, N. C. & BHARTYA, R. K. (1962): A note on *Euryale ferox* Salisb. in Alwar, Rajasthan. 59(1):323.
- NAIR, N. C. (1962): *Physalis longifolia* Nutt., a new record for Kerala State. 59(1):323-324.
- NAIR, N. C. & KOSHY, T. T. (1963): A taxonomic study of the genus *Indigofera* Linnaeus in Rajasthan. 60(2):326-336.
- NAIR, N. C. & NAIR, V. J. (1964): *Boerhavia punarnava* Saha et Krishnam.: a new record for Kerala State. 61(1):216-217.
- NAIR, N. C. (1964): *Mimosa invisa* Mart. A new record for India. 61(2):469-471.
- _____(1966): *Potentilla recta* Linn. a new record for India. 63(1):220-222.
- _____(1966): Two interesting orchids from N.W. Himalayas. 63(2):461-462.
- _____(1966): A note on *Gnaphalium peregrinum* in North and North Western India. 63(3):777-778.
- _____(1967): *Euclodium tenuissimum* (Pallas) Fedt. and *Medicago rugosa* Descr.: two new records for India. 64(1):133-134.
- NAIR, R. V. (1964): New record for *Hydrothrix wallichii* Hook. f. in South India. 61(3):718-719.
- _____(1965): New record of *Utricularia minutissima* Vahl. in South India. 62(1):180-182.
- NAIRNE, A. K. (1889): An address to students of Botany in Western India. 4(1):37-52.
- _____(1889): Elementary botany of Bombay Presidency. 4(4):264-276.
- NARASIMHAN, M. J. (1916): Malformations in *Casuarina*. 24(3):615-616.
- NARAYANA RAO, B. N., et al. (1956): Branching in Areca palm, *Areca catechu* L. 53(3):492-493.
- NATARAJAN, A. T. (1950): A note of the growth in a herbarium specimen of *Portulaca tuberosa* Roxb. 49(1):134-135.
- NAVALKAR, B. S. (1951): Succession of the Mangrove vegetation of Bombay and Salsette Islands. 50(1):157-160.
- _____(1953): The analytical characters of some of the marshy vegetations of Bombay and Salsette Islands. 51(3):636-652.
- _____(1956): Geographical distribution of the halophytic plants of Bombay and Salsette Islands. 53(3):335-345.

- NAYAR, B. K. & SRIVASTAVA, G. S. (1962): A preliminary report of the fern flora of the great Andamans. 59(1):329-333.
- NAYAR, K. K. (1948): Description of plant galls from Travancore. 47(4):668-675.
- NAYAR, M. P. (1968): *Pseudodissochaeta*: A new genus of Melastomataceae. 65(3):557-568.
- _____(1968): Nomenclature notes on the genus *Sonerila* Roxb. (Melastomataceae). 65(3):805-807.
- _____(1969): A new species of *Beccarianthus* Cong. (Melastomataceae). 66(1):229-231.
- NAYAR, S. L. (1954): Poisonous seeds of India. 52(1):88-105; 52(2-3):515-532.
- _____(1964): Medicinal plants of commercial importance found wild in Uttar Pradesh and their distribution. 61(3):651-661.
- NEHRU, S. S. (1930): Note on broom corn with five brushes. 34(3):847.
- _____(1930): Cultivation of broom corn in India. 34(3):847-848.
- NICHOLLS, G. J. (1893): The flowering of Bamboos. 8(2):298-303.
- NORMAN, T. (1961): Plant notes from Assam. *Merremia tuberosa*, and bamboo fruits. 58(1):304-305.
- OMMANNEY, H. T. (1891): A variety of *Butea frondosa*. 6(1):107.
- OSMASTON, B. B. (1906): Mangroves and Paroquets. 17(1):240.
- OZA, G. M. (1966): Correct name for *Ventilago calyculata* Tulasne. 63(2):455.
- PAI, R. M. et al. (1964): The Ophioglossum of Salona-Chikhaldha on the Melghat Ranges of the Satpuras. 61(3):722.
- PALLITHANAM, J. (1956): Petaloid filaments in *Ipomoea rubrocaerulea* Hook. 53(3):503.
- _____(1957): Observations on the flora of Kodaikanal. 54(4):835-844.
- PANTHAKI, D. & SANTAPAU, H. (1956): Name changes of a few Bombay plants. 53(3):499-500.
- PARANDEKAR, S. A. (1932): *Puccinia helianthi* Schw. Syd. A rust fungus on the Sun-flower. 35(4):916-917.
- _____(1950): Two interesting abnormalities in the common Indian corn *Zea mays* Linn. 49(3):573-574.
- PARKER, R. N. (1912): Notes on a cacti in North West India. 21(3):1095-1097.
- PARRY, N. E. (1931): On the flowering of Bamboos. 34(4):1099-1101.
- PARSONS, R. E. (1940): *Lagerstroemia indica* as a food plant of the Silk moth (*Actias selene*). 42(1):208-209.
- _____(1940): The weeping willow (*Salix babylonica*) as a food plant of the moth (*Loepa katinka* Westw.). 42(1):209.
- PATEL, N. G. (1953): Host plants distribution and abundance of Thrips (*Thysanoptera*) of Bomby State. 51(3):597-607.
- PATEL, R. J. (1966): *Coleochaete pulvinata* A. Br. from Gujarat, India: a new record. 63(1):222-224.
- _____(1966): Occurrence of the alga *Oedogonium itzigsohnii* var. *minus* from Mahabaleshwar, India. 63(1):224-226.
- _____(1969): On Desmids of Gujarat. 66(2):414-419.
- _____(1969): An enumeration of Chlorococcales of Gujarat. 66(3):665-669.
- PATEL, R. M. (1959): Rose variant of *Polygala eriopetra*. 56(2):364.
- PATTNAIK, H. (1956): Some useful weeds in and around Cuttack. 54(1):140-152.
- PATVARDHAN, G. B. (1918): Phenomena of interchangeability of vegetative and fruit structures in *Opuntia elation* Mill. 25(3):513-514.
- _____(1918): A sport from *Opuntia elation* Mill. 25(3):514.
- PERCY-LANCASTER, S. (1933): "Blue" flowers. 36(3):764.
- PEREIRA, M. C. (1895): *Hemidesmus*. 9(4):491-492.
- _____(1895): *Holarrhena antidysenterica*. 9(4):492-493.
- PHATAK, V. G. & JOSHI, B. B. (1958): *Sericocalyx scaber* (Nees) Bremek. 55(2):383-385.
- PHATAK, V. G. & OZA, G. M. (1958): Some useful weeds of Baroda its neighbourhood and Pavagadh. 55(3):532-542.
- _____(1958): A red or rose variant of *Polygala eriopetra* DC. 55(3):593.
- _____(1959): Occurrence of *Curcuma inodora* Blatt. at Pavagadh (Gujarat). 56(2):368-369.
- _____(1959): Notes on the flowering of *Carvia callosa* Bremek. (= *Strobilanthes callosus* Nees). 56(3):676-677.
- PRADHAN, Y. D. & SATYANARAYAN, Y. (1965): Vegetation of Manori and Madh Islands in Bombay. 62(1):32-37.
- PRAIN, D. (1890): Note added to Dr. Barelay's

CATALOGUE OF BOTANICAL ARTICLES

- paper (Teratological effects). 5(2):165-167.
- _____(1892-1893): Botany of the Lacca-dives being natural history notes from H.M.I.M. Survey Steamer "Investigator". 7(3):268-295; 7(4):460-486; 8(1):57-86.
- _____(1897): Plants of the Bombay swamp. 11(2):335-336.
- _____(1898): A new *Curcuma* from the Deccan. 11(3):463-464.
- PREBBLE, J. G. (1894): The *Nuxvomica* tree. 8(4):565-566.
- _____(1894): The Pisa tree and the Indian Willow. 9(1):99-100.
- RAIZADA, M. B. (1945): Fasciated inflorescence of *Sophora secundiflora* DC. 45(2):258-259.
- _____(1949): Some interesting plants from Orissa. 48(4):667-680.
- _____, & JAIN, S. K. (1951): *Filipedium* and new genus of Gramineae (grasses). 49(4):682-684.
- RAIZADA, M. B. (1953): "Curtis's Botanical Magazine" its origin history and mission. 51(4):819-824.
- _____(1954): A note on *Ventilago gamblei* Merrill. 52(2-3):660.
- _____(1957): A new variety of *Gymnosporia falconeri* Lawson from Northern Oudh, Uttar Pradesh. 54(3):796-797.
- _____, & JAIN, S. K. (1957): The genus *Eremopogon* Stape and its affinities with *Schizachyrium* Nees. 54(4):858-865.
- RAIZADA, M. B. & SAXENA, H. O. (1967): Additions to the flora of Mussoorie Hills. 64(1):75-92.
- RAMAKRISHNA, T. S. (1954): Abnormalities in the fruit of *Areca catechu* L. 52(1):224-225.
- RAMAKRISHNA AYYAR, T. V. (1916): Occurrence of *Himantopterus caudatus* Moore on the Babudin Hills. 24(2):378.
- RAMANUJAM, S. & JOSHI, A. B. (1954): Identity and taxonomical status of *Sesamum ekambaramii* Naidu. 52(2-3):657.
- RAMARETHINAM, S. (1964): *Boerhavia punarnava* Saha and Krishnam.: a new record for Maharashtra. 61(1):217-218.
- RAMASWAMI, R. (1955): Abnormal branching and fasciation of the inflorescence axis in *Musa paradisiaca* Linn. 53(1):156.
- RANDHAWA, M. S. (1945): Progressive desiccation of Northern India in historical times. 45(4):558-565.
- RANGACHARI, K. (1916): Note on an undescribed species of *Cynodon* by K. Rangachari and C. Tadulingam. 24(4):846-847; 26(1):304-305.
- RAO, A. R. (1949): "Victory plant". 48(3):610-612.
- RAO, C. R. (1969): A new *Begonia* from East Nepal. 65(3):724-725.
- RAO, K. V. H. & RAO, K. R. (1968): *Gnetum ula* Brongn. from Rayalaseema, Andhra Pradesh—a new record. 65(3):809-810.
- RAO, R. S. (1947): The genus *Ceropegia*—a comment. 46(4):742-743.
- _____(1949): *Microcos blattaeifolia* (Corner) Seshagiri Rao, Nov. comb. 48(2):300-302.
- _____(1949): The genus *Ceropegia* further comments. 48(3):612-613.
- _____(1953): Occurrence of *Paragrewia*, Gagnep., in India and Burma. 51(3):671-673.
- _____(1954): New species of Indian plants. 52(1):190-191.
- RAO, R. S. (1956): *Parthenium hysterophorus* Linn. a new record for India. 54(1):218-220.
- _____(1958): *Paragrewia* Gagnep. ex Seshagiri Rao, synonymous with *Leptonychia* Turez. 55(2):376-377.
- _____(1958): Observations on the vegetation of the Rampa and Gudem Agency Tracts of the Eastern Ghats. 55(3):429-449.
- _____, & KAMMATHY, R. V. (1962): Notes on Indian Commelinaceae—I. 59(1):58-70.
- RAO, R. S. (1963): The Indian Cho Oyu Expedition 1958: Observations of a botanist member. 60(2):400-409.
- _____(1963): *Hyphaene indica* Becc. along the west coast of India. 60(3):761-763.
- _____(1964): Observations on the vegetation of the Rampa and Gudem Agency Tracts of the Eastern Ghats—II. 61(2):303-329.
- RAO, R. S. & RAGHAVAN, R. S. (1965): Critical notes on three species of *Capparis* Linn. from peninsular India. 62(3):412-424.
- RAO, T. A. & SHANWARE, P. G. (1966): Distribution of *Spinifex littoreus* (Burm. f.) Merr. along Indian coasts. 63(2):463.
- RAO, T. A. & BANERJEE, L. K. (1967): Some plant records for Orissa State. 64(3):583-584.
- RAO, T. A. & KORLAHALLI, B. C. (1967): Some interesting plants from the Saurashtra coast. 64(3):585-586.
- _____(1969): A note on the inflorescence of *Hyphaene indica* Becc. 66(1):235-237.
- RAO, T. A. et al. (1969): Some interesting plant

- records from the Orissa coast. 66(3):659-660.
- RATH, M. (1937): Freak seedling of the grape fruit. 39(4):873.
- RAVI, N. (1969): A new species of *Zornia* Gmel. from S. India. 66(3):489-490.
- _____(1969): A new species of *Borreria* Mey, from South India. 66(3):539-541.
- RIBEIRO, J. (1921): A mango tree (*M. indica*) flowering in August. 27(3):645.
- ITCHIE, W. D. (1930): A yellow variety of the silk cotton tree (*Bombax malabaricum*). 34(2):593-594.
- ROBERTS, M. B. (1905): Rough notes on six common hill Orchids. 16(3):414-420.
- ROBINSON, M. (1929-1931): Flowerless plants. 33(3):570-575; 33(4):793-799; 34(1):40-45; 34(2):420-430; 34(4):992-1002.
- ROBINSON, M. F. (1935): The flowering of *Strobilanthes* in 1934. 38(1):117-122.
- _____(1938): Some notes on the raising of *Hibiscus* shrubs from seed. 40(1):1-7.
- ROSE, F. (1886): Note on the *Feronia elephantum* (elephant or wood apple) as a timber tree. 1(3):146-147.
- _____(1886): Note on the *Gloriosa superba* (N.O. Liliaceae) "Superb Lily". 1(4):226.
- _____(1886): Uses of the flower of *Pandanus odoratissimus*. 1(4):227-228.
- _____(1886): Freak in *Zinnia pauciflora* observed and exhibited. 1(4):228-229.
- ROY, J. C. (1954): Periodicity of the Plankton Diatoms of the Chilka Lake for the years 1950 and 1951. 52(1):112-123.
- _____(1955): Utility of the forest products of Orissa in the fisheries of the Chilka Lake. 53(2):292-294.
- RYAN, G. M. (1903): Famine foods, *Dioscorea pentaphylla*. An important edible wild yam of the Thana District, Bombay Presidency. 14(4):772-775.
- _____(1903): *Dioscorea daemona* Roxb. 15(2):366-367.
- _____(1904): The wild plantain (*Musa superba* Roxb.). 15(4):586-593.
- _____(1904): Water-yielding plants found in the Thana forests. 16(1):65-69.
- _____(1911): Curious growth of the palmyra palm *Borassus flabellifer* Linn. 20(3):889-892.
- SABNIS, T. S. (1940-41): A contribution to the flora of Punjab plains and the associated hill-regions. 42(1):124-149; 42(2):342-379; 42(3):533-586.
- SAKHARAM RAO, J. (1955): Leaf variation within a species *Cadaba trifoliata* W. & A. 53(2):288-289.
- _____(1957): A giant form of *Celosia argentea* L. 54(2):474-475.
- _____(1957): Grass flora of Coimbatore District (South India) with special reference to fodder grass. 54(3):674-689.
- SAMPATH KUMAR, R. & KUNCHITHAPATHAM, J. (1968): Observations on the host range in *Loranthus longiflorus* Desv. 65(3):804-805.
- SANTAPAU, H. (1944): *Ventilago bombaiensis* Dalz. 44(3):496-498.
- _____(1944): The flowering of *Strobilanthes*. 44(4):605-606.
- _____(1945): New plant records for Bombay Presidency. 45(3):445-448.
- _____(1945): *Curcuma pseudomontana* Grah. 45(4):618-623.
- _____(1946): An abnormal flower of *Gloriosa superba* Linn. 46(1):202-204.
- _____(1946): New plant records for the Presidency of Bombay. 46(2):377-381.
- _____(1946): Abnormal flowering of *Carica arborea* Roxb. in Khandala. 46(2):409-410.
- _____(1946): Variation in the numbers of floral parts in *Jasminum malabaricum* Wt. 46(3):563-566.
- _____(1947): Notes on the Convolvulaceae of Bombay. 47(2):337-355.
- _____(1948): Notes on the Solanaceae of Bombay. 47(4):652-662.
- _____(1948): The genus *Ceropogia* further comments. 47(4):775-777.
- _____(1949): Artificial key to the Papilionaceae of Bombay Province. 48(2):277-282.
- _____(1949): Notes on the Gesneriaceae of Bombay. 48(3):489-492.
- _____(1949): The genus *Ceropogia* still further comments. 48(3):613-614.
- _____(1950): Notes on the Scrophulariaceae of Bombay. 49(1):25-49.
- _____(1950): Editorial note on the growth of herbarium specimens. 49(1):135-136.
- _____(1950): Notes on the Lentibulariaceae of Bombay. 49(2):217-221.
- _____(1950): The flowering of *Strobilanthes*. 49(2):320-321.
- _____(1950): A plea for the preservation of wild plants. 49(3):427-429.
- _____(1950): Further remarks on the flowering of *Strobilanthes*. 49(3):575-576.
- _____(1951): The genus *Dioscorea* in

CATALOGUE OF BOTANICAL ARTICLES

- Bombay State. 49(4):624-638.
 _____ (1951): New record for *Frerea indica* Dalz. in Bombay Province. 49(4):801-802.
 _____ (1951): *Frerea indica* Dalz.—a new record in Bombay. 50(2):427.
 _____ (1951): A branched specimen of *Costus speciosus* Smith. 50(2):427.
 _____ (1951-54): Critical notes on the identity and nomenclature of some Bombay plants. 50(2):305-312; 51(4):801-804; 52(1):137-141.
 _____ (1951): The flowering of *Strobilanthes* in Khandala. 50(2):430-431.
 _____ (1952): Contributions to the bibliography of Indian Botany. 50(3):520-548; 51(1):205-259.
 _____ (1952): On a common species of *Curcuma* of Bombay and Salsette Islands. 51(1):135-139.
 _____ (1953): Notes on the Acanthaceae of Bombay. 51(2):349-368.
 _____ (1953): The species of *Crotalaria* in Bombay. 51(4):960-962.
 _____ (1954): The genus *Murdannia* in Bombay State. 52(2-3):658.
 _____ (1954): The genus *Murdannia* in Bombay—further corrections. 52(2-3):658.
 SANTAPAU, H. & FERNANDES, R. R. (1955): A new species of *Chlorophytum* from Salsette Island. 52(4):897-900.
 SANTAPAU, H. (1955): A botanical excursion to North Kanara, Bombay State, in May, 1954. 53(1):10-28.
 _____ (1955): *Laurentia longiflora* Endl., a new record for Bombay State. 53(1):156-157.
 SANTAPAU, H. & RANDERIA, A. J. (1955): The botanical exploration of the Krishnagiri National Park, Borivli, near Bombay. 53(2):185-200.
 SANTAPAU, H. & SALDANHA, C. (1955-58): New plant records for Bombay—III. 53(2):210-213; 53(2):214-216; 55(3):481-485.
 SANTAPAU, H. (1955): New plant records for Bombay. IV. 53(2):214-216.
 _____ (1956): Extensive loss of water by forest trees in the Dangs Forests. 53(3):501.
 SANTAPAU, H. & PANTHAKI, D. (1956): *Dolichos bracteatus* Baker. 53(3):501-502.
 SANTAPAU, H. (1956): The name *Hoya pendula*. 53(3):504.
 _____ (1956): Tobacco without nicotine. 53(3):504.
 _____ (1956): The poisonous qualities of *Calotropis gigantea* R. Br. 54(1):218.
 SANTAPAU, H. & KAPADIA, Z. (1956): Notes on *Aerides maculosum* Lindl. 54(1):220-221.
 SANTAPAU, H. & PANTHAKI, D. P. (1956): Some new plants for the Dangs Forest, Bombay State. 54(1):221-225.
 SANTAPAU, H. (1957): *Eclipta prostrata*, *E. erecta* or *E. alba*: which is the correct name. 54(2):475-476.
 _____ (1957): *Alternanthera paronychoides* St. Hil.—A correction. 54(2):476-477.
 SANTAPAU, H. & KAPADIA, Z. (1957): *Habenaria panchganiensis*—New name for a Bombay Orchid. 54(2):478.
 SANTAPAU, H. & PATEL, V. (1957): The genus *Cuscuta* in Bombay. 54(3):707-713.
 _____ (1957): *Ipomoea tropica*, new name for a common Bombay plant. 54(3):798-799.
 SANTAPAU, H. (1957): Further notes on the Indian species of *Curcuma* (Zingiberaceae). 54(4):966-967.
 _____ (1957): The species of *Lagenandra* of Bombay and Madras. 54(4):967-969.
 SANTAPAU, H. & SHAH, G. L. (1958): The phytology of *Euphorbia neriiifolia* Linn. 55(1):186-187.
 SANTAPAU, H. (1958): The coconut *Cocos nucifera* Linn. Observations of the first English Jesuit in India. 55(1):188-189.
 SANTAPAU, H. & IRANI, N. A. (1958): *Cryptostegia madagascariensis* Boj.—A new record for Bombay. 55(3):594-595.
 SANTAPAU, H. (1959): The leaves of *Alseodaphne semecarpifolia* Nees. 56(1):160.
 SANTAPAU, H. & KAPADIA, Z. (1959-1963): Critical notes on the Orchidaceae of Bombay State. 56(2):188-203; 57(1):124-135; 57(2):252-269; 57(3):491-510; 58(1):53-67; 58(2):332-350; 58(3):595-607; 59(1):154-172; 59(2):382-404; 59(3):827-842; 60(1):92-103.
 SANTAPAU, H. (1959): Lectotypes of the species and varieties described by Blatter and Hallburg in their "Flora of the Indian desert". 56(2):276-281.
 _____ (1959): *Salmalia malabarica* and *S. insignis* in Bombay. 56(2):361-365.
 _____ (1959): The flowering of *Strobilanthes*. 56(3):677.
 _____ (1959): The leaves of *Alseodaphne semecarpifolia* Nees—a correction. 56(3):678.
 _____ (1960): The identity of the *Entada* plants from Bombay. 57(1):238-240.
 _____ (1960): *Artocarpus heterophyllus*

Lamk. 57(2):447-449.

_____(1960): Black colour in flowers—is there such a colour in nature? 57(3):701-702.

_____*et al.* (1961): New plant record from Bombay. *Physalis longifolia* Nutt. 58(2):550-551.

SANTAPAU, H. & SHAH, G. L. (1961): New plant record from Bombay: *Alternanthera pungens* H.B.K. 58(2):551-553.

SANTAPAU, H. (1962): Gregarious flowering of *Strobilanthes* and Bamboos. 59(2):688-695.

SANTAPAU, H. & SHAH, G. L. (1963): Additions to the flora of Bombay State. Grasses from Salsette Islands (Malad-Madh Area). 60(1):134-139.

SANTAPAU, H. & WAGH, S. K. (1963): On the distribution of *Gymnosporia bailadillana* Narayan & Mooney. 60(3):754.

SANTAPAU, H. & SHAH, G. L. (1965): Further contributions to the Botany of Dangs forest, Gujarat. 62(2):201-210.

SANTAPAU, H. & KORLAHALLI, B. C. (1965): *Cuscuta campestris* Yuncker: a new record for India. 62(3):598-599.

SANTAPAU, H. & SHAH, G. L. (1969): A contribution to the flora of Salsette Islands, Bombay (Malad-Madh Area). 66(3):430-442.

SASTRY, A. R. K. & VERMA, D. M. (1968): *Hedychium longipedunculatum* a new species of Zingiberaceae from Subansiri District North East Frontier Agency. 65(2):293-295.

SASTRY, A. R. K. (1968): A note on the occurrence of *Dioscorea orbiculata* Hook. f. in India. 65(2):517-518.

_____*et al.* (1968): *Rhododendron santapai* sp. nov. from Subansiri District, N.E.F.A. India. 65(3):744-747.

SATYANARAYAN, Y. & SHANKARANARAYAN, K. A. (1963): A new species of *Lasiurus* from Western Rajasthan. 60(3):763-766.

SATYANARAYAN, Y. *et al.* (1965): *Aerua persia* Merrill: a host of *Cistanche tubulosa* (Schenk.) Wight. 62(3):602-603.

SATYANARAYAN, Y. & SAXENA, S. K. (1966): An account of the weeds of Central Research Farm, Jodhpur, Rajasthan. 63(2):344-353.

SAVILE, L. H. (1911): Note on submerged tree stumps discovered in Bombay harbour. 20(3):894-895.

SAYEEDUD-DIN, M. (1938): A further contribution to some of the common flowering plants of the Hyderabad State their distribution and economic

importance. 40(2):191-212.

_____(1939-1947): Some common Indian herbs with notes on their anatomical characters. 41(1):113-115; 41(2):321-323; 41(3):548-550; 41(4):793-798; 42(1):161-163; 42(2):280-282; 42(3):599-601; 42(4):816-818; 43(2):170-172; 43(3):475-477; 44(2):244-246; 46(4):655-657.

_____(1940): Preliminary notes on a recent botanical tour to Amrabad Forest Reserve, H.E.H. The Nizam's Dominions Hyderabad (Dn.). 41(4):907-910.

_____(1941): Additions to our knowledge of the flowering plants of H.E.H. The Nizam's dominions Hyderabad, Deccan. 42(4):903-924.

_____*& ABDUS SALAM, M.* (1942): On the anatomy of some of the Urticaceae. 43(2):274-276.

SCOTT, F. B. (1933): Notes on the food plants of Indian Hawkmoths. 36(4):938-943.

SEDGWICK, L. J. (1910): A first list of mosses from Western India. 19(4):938-942.

_____(1911): List of mosses from Western India. 20(4):1043-1045.

_____(1913): A third list of mosses from Western India. 22(2):370-371.

_____(1914): A list of grasses from Ahmedabad and Surat. 23(1):110-117.

_____(1918): Herbaceous monsoon flora at Castle Rock and a new species of Balsam. 25(3):482-485.

_____(1918): The Cyperaceae of the Bombay Presidency. 25(4):682-700; 26(1):192-209.

_____(1918): Fall of seed in a rainstorm. 25(4):764-765.

_____(1918): *Eleocharis congesta* Don., in Bombay Presidency. 26(1):312.

_____(1919): Reduction of *Euphorbia rothiana* Sprengel of the Indian floras. 26(2):599-600.

SEN, D. N. (1960): Systematics and ecology of Indian plants: on the rainy season weeds of Gorakhpur. 57(1):144-172.

SENSARMA, P. (1960): Leaves and tendrils as aids for identification of Cucurbits. 57(1):204-207.

SEVASTOPULO, D. G. (1940): On the food-plants of Indian Bombyces (Heterocera). 41(4):817-827.

_____(1941): On the food plants of Indian Agaristidae and Noctuidae (Heterocera). 42(2):421-430.

_____(1941): *Lagerstroemia indica* as a food plant of *Actias selene*. 42(2):449.

CATALOGUE OF BOTANICAL ARTICLES

- _____(1948): On the food-plants of Indian *Geometridae* and *Pyralidae*. 47(3):492-498.
- _____(1949): A supplementary list of the food plants of the Indian *Bombycidae*, *Agaristidae*, and *Noctuidae*. 48(2):265-276.
- _____(1965): Fruiting of *Plumeria*. 62(1):176.
- SHAH, G. L. & SANTAPAU, H. (1957): *Neuracanthus sphaerostachyus* Dalz.—further comments. 54(4):969-970.
- SHAH, G. L. & PANTHAKI, D. P. (1960): *Rhynchosia sericea* Span.: a new record for Bombay State. 57(2):440-441.
- SHAH, G. L. (1961): A note on the flower colour of *Polygala eriopetra* DC. 58(3):831-832.
- _____(1962): *Mollugo nudicaulis* Lamk.: a new record from Baroda. 59(1):319-320.
- _____(1962-63): Nomenclature notes on some Bombay plants. 59(1):320-322; 60(1):296-298.
- _____(1963): Notes on some Bombay plants. 60(2):481-484.
- _____(1964): Enumeration of plants from Broach, Gujarat. Vegetation of river bed. 61(2):254-263.
- SHAH, G. L. & INAMDAR, J. A. (1965): Further contribution to the flora of Pavagadh Hill near Baroda, Gujarat. 62(2):279-284.
- SHAH, G. L. & SURYANARAYAN, B. (1966): Floral variations in three species of *Cestrum* Linn. viz. *C. diurnum* Linn., *C. elegans* Schlecht. and *C. nocturnum* Linn. 63(2):456-459.
- _____(1966): Additions to the flora of Gujarat. 63(3):778.
- _____(1967): Additions to the flora of Dangs Forest, Gujarat. 64(1):136-138.
- SHAH, G. L. & DESHPANDE, M. B. (1967): New plant records for Bombay. 64(3):587-588.
- _____*et al.* (1968): Additions to the flora of Bombay. 65(1):260-262.
- _____(1969): Nomenclatural changes in some Bombay Plants. 66(1):231-233.
- SHAH, G. L. & SURYANARAYANA, B. (1969): New plant records for Bombay collected from Dangs Forest, Gujarat. 66(2):412-414.
- SHAH, J. J. (1958): A note on a species of *Cissus*. 55(3):591.
- _____(1962): *Turbinaria* from Okha. 59(2):699.
- SHAH, R. (1950): Certain observations on *Broussonetia papyrifera* Vent and *Boswellia serrata* Roxb. in relation to traumatism. 49(2):288-290.
- SHANKARANARAYAN, K. A. & DABHOLKAR, M. V. (1959): The flora of the scrub jungles of Madras State. 56(2):282-292.
- SHANKARANARAYANA, K. A. (1959): *Khaya senegalensis* A. Juss.—a new plant record from Pondicherry, South India. 56(2):370-373.
- SHARMA, V. S. (1958): The flora of Ajmer (Rajasthan). 55(1):129-141.
- _____(1961): *Emex-spinosa* (Linn.) Campd. (Polygonaceae): a new record for India. 58(3):836-838.
- _____(1963): Description of *Tephrosia collina* sp. nov. and two new varieties. 60(3):754-759.
- SHEVADE, S. V. (1910): A giant sunflower (*Helianthus annuus* Linn.). 20(1):246-248.
- SHRIVASTAVA, G. P. & SANTAPAU, H. (1955): *Alternanthera polygonoides* R. Br. var. *erecta* Mart.—a new record for Bombay State. 52(4):957.
- SIDDIQ, E. A. (1962): Foliar variations in *Nanavelia zeylanica* DC. 59(1):325-327.
- SINCLAIR, W. F. (1893): The *Gloriosa superba*. 8(2):322.
- _____(1894): *Nuxvomica*. 9(1):95.
- SINGH, B. (1964): *Dendrophthoe falcata* (Linn. f.) Ettingsh: a method of control. 61(1):218-221.
- SINGH, C. (1965): Some observations on *Cistanche tubulosa* Wight. 62(3):600-602.
- SINGH, M. (1966): A list of planktonic green algae from Amritsar, Punjab. 63(1):74-82.
- SINGH, S. N. (1947): Aerial roots in the sponge Gourd, *Luffa* sp. 47(2):397-398.
- SINGH, T. C. N. (1929): A preliminary note on the pollination of the coral tree (*Erythrina indica* Lamk.). 33(2):460-462.
- _____(1930): On the occurrence of vegetative buds on the root of gram. 34(3):841-842.
- _____(1932): Scent in relation to flower colour. 36(1):287-288.
- _____(1953): A unique case of a profusely branched palmyra palm. 51(3):759.
- _____(1959): A remarkable case of twining of a branch in *Pinus canariensis* C. Smith. 56(2):366-367.
- SINGH, V. & MURTY, Y. S. (1966): *Eleocharis fistulosa* Schult.—a new record for the Upper Gangetic plain. 63(2):462-463.
- SINHA, S. C. (1925): On the antiquity and therapeutic uses of the Indian Spikenard. 30(4):777-787.
- SMYTHIES, B. E. (1945): Some comments on "A sketch of the Botany Geography of North Burma.

- 45(3):448-450.
- SREEMADHAVAN, C. P. (1967): *Justicia trinervia* Vahl.: a new record for Orissa. 64(1):135.
- SRINIVASAN, K. R. (1946): Instance of fasciation in palmyra (*Borassus flabellifer*). 46(1):201-202.
- SRINIVASAN, K. S. (1947): Observations on some Balanidae from Mahabalipuram. 47(1):115-117.
- _____(1960): Aspects of vegetation of Church Island off Tuticorin Port in South India. 57(2):348-353.
- _____(1960): *Corynomorpha prismatica* J. Ag. from Okha. A new locality record for India. 57(2):456-458.
- _____(1960): Observations on some drift algae at Mahabalipuram coast. 57(2):458-461.
- SRINIVASAN, K. S. & SUBBA RAO, G. V. (1961): The flora of Parlakimedi and its immediate neighbourhood. 58(1):155-170; 58(2):407-419.
- SRINIVASAN, R. & CHACKO, P. I. (1952): The control of aquatic vegetation with '2,4-D'. 51(1):164-169.
- SRIVASTAVA, G. S. (1955): An abnormal condition of fruiting in Banana. 53(1):155-156.
- _____(1958): Growing saffron in Lucknow. 55(2):385-386.
- _____(1961): An interesting condition of fruiting in Banana. 58(2):553-554.
- SRIVASTAVA, J. G. (1954): Some recently introduced or newly recorded plants from Patna District and its neighbourhood. 52(2-3):659-660.
- _____(1954): E. J. Woodhouse—his contribution to our knowledge of the flora of Bihar. 52(2-3):663-665.
- _____(1955): A note on the flora of Mirzapur (U.P.). 53(1):152-153.
- _____(1963): Hosts of *Dendrophthoe falcata* (Linn. f.) Ettingsh. in the National Botanic Gardens, Lucknow. 60(2):474-475.
- _____(1963): Forty-seven more grasses from Lucknow. 60(2):484-488.
- STARTING, M. H. (1888): On the cultivation of ferns from spores. 3(3):187-191.
- STEBBING, E. P. (1907): The "Shotborers" of bamboos and "Woodborers" of *Pinus longifolia*. 18(1):18-26.
- STONEY, R. F. (1912): A branching palmyra palm (*Borassus flabellifer*). 21(3):1098.
- STERNDALE, H. B. (1886): On the uses of *Pandanus* or screw-palms. 1(2):62-68.
- SUBRAMANYAM, K. (1950): Some phenological notes on *Dillenia indica* Linn. 49(3):574-575.
- SUNDARAJ, D. D. & RAMAKRISHNAN, V. (1956-57): New plant records for South India. 53(4):523-526; 54(4):925-927.
- SUNDARAJ, D. D. (1958): A few note on the preparation and publication of Gamble's flora of the Presidency of Madras. 55(2):238-242.
- SUNDARAJ, D. D. & NAGARAJAN, M. (1964): The flora of Hare and Church Islands off Tuticorin. 61(3):587-602.
- _____(1966): New plant records for S. India. 63(1):226-228.
- _____(1969): New plant records for S. India. 66(3):657-659.
- SWAMY, B. G. L. (1947): Notes on self-pollination in two orchids. 46(4):743-746.
- SYMONDS, W. P. (1903): The lilies of Mahableshwar and others. 14(1):1-5.
- TALBOT, W. A. (1897): New species of Western peninsular plants from North Kanara and Mysore. 11(2):234-238.
- _____(1898): Species of Western Peninsular trees, shrubs etc. from North Kanara, Bombay. 11(4):690-693.
- TANDON, S. L. (1954): Effect of Margosa (*Azadirachta indica*) leaves on the rotting of potato tubers during storage. 52(1):225-226.
- _____(1955): Abnormalities in the 'ear' of *Zea mays* L. 52(4):958-959.
- THANIKAIMONI, G. (1965): *Laurentia longiflora* (Linn.) Endl. in Pondicherry. 62(2):323-324.
- THEISSEN, F. (1912-13): The fungi of India. 21(4):1273-1303; 22(1):144-159.
- THIRUMALACHAR, M. J. et al. (1942): A note on the epiphytism in *Heptapleurum venulosum* Seem. 43(2):276-277.
- THIVY, F. & VISALAKSHMI, V. (1965): On *Caulerpa fastigiata* Mont. var. *fastigiata* in India. 62(3):434-439.
- THOMAS, K. J. (1963): A contribution to our knowledge of *Dalechampia tannifolia* Lam. 60(2):475-478.
- THOMBRE, M. V. (1963): Occurrence of *Schouwia purpurea* (Forsk.) Schweinf. = *S. arabica* DC. in India. 60(1):289-290.
- THOMPSON, C. (1901): The flowering habits of the violet. 13(4):712-713.
- THOTHATHRI, K. (1961): New records of plants from the Andaman and Nicobar Islands. 58(1):310-317.
- THOTHATHRI, K. & DAS, D. (1967): A new Annonaceae from the Andaman Islands. 64(3):430-431.

CATALOGUE OF BOTANICAL ARTICLES

- THOTHATHRI, K. (1969) : Studies in Leguminosae. A new species of *Crotalaria* L. from Bhutan Himalayas. 66(1) :70-71.
- TIWARY, N. K. (1929) : A note on the occurrence of buds in the axils of the Cotyledons. 33(3) :731-732.
- _____(1929) : The discovery of germination of Cyathodium spores. 33(4) :1001-1003.
- _____(1935) : Precocious germination. 38(1) :213-216.
- _____(1935) : Root formation from leaf-cuttings. 38(1) :216-218.
- TURNER, M. C. (1892) : Note on *Angracum sesquipedale*. 7(1) :112-113.
- TUTCHER, W. J. (1903) : The flowering of Bamboos. 14(1) :177-179.
- UNNI, K. S. (1966) : Occurrence of *Streptonema trilobatum* Wall. at Raipur, Madhya Pradesh. 63(2) :465.
- _____(1967) : Studies on the vegetation of ponds, swamps and river banks in Raipur, M.P. 64(1) :95-102.
- _____(1967) : Compositae of Raipur and its surroundings. (M.P.). 64(2) :333-338.
- _____(1967) : On the occurrence of a new variety of *Isoetes coromandeline* L. in Raipur, M.P. 64(3) :590-592.
- UPPULURI, M. R. & SATYAVATHI, U. (1968) : Two new species of *Iseilema* Anderss. from India. 65(3) :664-669.
- VAID, K. M. (1961) : New record of a host (*Litsea umbrosa* Nees) for *Korthalsella opuntia* (Thunb.) Merr. 58(2) :549-550.
- _____(1962) : Vivipary in Bamboo *Melocanna bambusoides* Trin. 59(2) :696-697.
- _____(1964) : Fruiting of *Plumeria*. 61(1) :215-216.
- _____(1964) : *Aeginetia indica* L. var. *alba* Santapau: a new record for Northern India. 61(2) :471-472.
- _____(1968) : Occurrence of *Aeginetia indica* L. var. *alba* Santapau. 65(2) :525.
- VARMA, P. P. (1960) : An unusual inflorescence of *Casuarina equisetifolia* Linn. 57(2) :449-450.
- VARTAK, V. D. (1957) : *Solanum esuriale* Lindl. a new record for Bombay State. 54(4) :965.
- _____(1959) : Some edible wild plants from the hilly region of the Poona District, Bombay State. 56(1) :8-25.
- _____(1959) : The occurrence of *Triumfetta pentandra* A. Rich. in Bombay State. 56(2) :365-366.
- _____(1967) : The occurrence of the small Snapdragon *Antirrhinum orontium* Linn. in Maharashtra State. 64(3) :584-585.
- VASISHTA, P. C. (1960) : A systematic and ecological account of the Cyanophyceae of Hoshiarpur. 57(3) :579-589.
- _____(1961) : More Cyanophyceae of Hoshiarpur. 58(1) :135-146.
- _____(1961) : On the structure and life-history of a new species of *Anabaena* (*A. desikacharyensis*) from Hoshiarpur (Punjab, India). 58(1) :307-310.
- _____(1963) : More cyanophyceae of Hoshiarpur II. 60(3) :671-678.
- _____(1965) : More Cyanophyceae of Hoshiarpur III. 62(1) :104-119.
- VASUDEVAN, R. & NAMBIAR, V. P. K. (1966) : A new record for *Ammania pygmaea* Kurz. from S. India. 63(3) :784-785.
- VASUDEVAN, R. & NAIR, K. K. (1967) : *Myriophyllum tuberculatum* Roxb. New record for Kerala State, S. India. 64(2) :391-394.
- VENKATARAMAN, G. S. (1957) : The algal flora of the ponds and puddles inside the Banaras Hindu University grounds, India. 54(4) :908-911.
- _____(1958) : Observations on some Myxophyceae from high altitudes. 55(2) :318-321.
- _____(1959) : Some new and interesting forms of *Oedogonium* from Uttar Pradesh. 56(1) :60-65.
- VENKATA RAO, M. K. (1915) : The sweet Areca Nut, *Areca catechu* var. *deliciosa*. 23(4) :793.
- _____(1917) : Note on the colour of flowers in *Dysophylla stellata* Bth. 25(2) :312.
- _____(1917) : An interesting case of distribution. 25(2) :313.
- VENKATARATNAM, L. (1951) : *Muntingia calabura* Linn., a drought resistant exotic plant. 49(4) :804-806.
- VENKATAREDDI, B. (1968) : *Dicraea stylosa* Wight Podostemaceae. A new record for Bombay. 65(3) :803-804.
- _____(1969) : *Ceropogia hirsuta* Wight and Arn. (Asclepiadaceae)—a new record to the Upper Gangetic Plain. 66(2) :419-421.
- VENKATESH, C. S. (1956) : The taxonomic value of the *androecium* in the genus *Cassia*. 53(3) :496-499.
- VENKATESWARLU, J. & DUTT, B. S. M. (1961) :

- Amended description of *Hydrocera triflora* Wt. and Arn. 58(2):544-546.
- VENKATESHWARLU, V. (1944): The estuarial flora of the Godavary. 44(3):431-435.
- VERMA, J. K. (1956): A petrified monocotyledonous inflorescence from the Deccan intertrappean beds Chhindwara, M.P. 53(3):505.
- _____(1956): On a new petrified flower *Sahnipushpum shuklai* Sp. Nov. from the intertrappean beds Mohgaonkalan in the Deccan. 53(3):505-506.
- VOHRA, J. N. (1966): A new species of *Hydrogonium* from the Western Himalayas. 63(2):464.
- VUPPULURI, S. S. (1969): *Ludwigia erecta* (Linn.) Hara (Onagraceae) a new record for India. 66(2): 421-422.
- VYAS, L. N. (1967): Contribution to the flora of North-East Rajasthan. 64(2):191-231.
- WADHWA, B. M. & VOHRA, J. N. (1965): *Pogonatum subperichaetiale* Card. et Vard: a new record from the Himalayas. 62(1):177-179.
- WADHWA, B. M. & VOHRA, J. N. (1965): On a collection of Bryophytes made by the Indian Cho Oyu Expedition, 1958. 62(2):259-265.
- WAGH, S. K. (1964): The genus *Zornia* Gmel. in India. 61(1):213-215.
- WALI, M. K. (1966): Life forms and biological spectrum of Lolab Valley Kashmir, in relation to climate. 63(1):115-122.
- WALLACE, J. (1910): A note on the circulation of *Calycopteris floribunda*. 20(1):201-202.
- WATTS, N. A. (1954): A contribution to the flora of Mussoorie. 52(1):106-111.
- WEDDERBURN, W. (1902-03): Drought resisting fodder plants. 14(3):614-620; 15(1):149-155.
- WILLIAMS, J. (1938): General flowering of *Strobilanthes* in South India. 40(3):580-581.
- WILLIAMS, J. H. L. (1937): The flowering of *Strobilanthes*. 39(4):877-879.
- _____(1944): Flowering of *Strobilanthes*. 44(3):493-494.
- WILTSHERE, E. P. (1953): Narrative of a trek and of Natural History observations in Kashmir in May-June, 1942. 51(4):825-838.
- WOODROW, G. M. (1891): The cultivation of oranges, lemons and figs in India. 6(1):111-116.
- _____(1891): Note on *Cassia grandis* Linn. and *C. marginata*, Roxb. 6(4):485-486.
- _____(1897): Plants of Bombay swamp. 11(1):88-94.
- _____(1897-1901): The flora of Western India. 11(1):118-130; 11(2):265-273; 11(3):420-430; 11(4):635-651; 12(1):162-176; 12(2):354-373, 12(3):515-526; 13(3):427-442.
- _____(1898): Seedlings orange trees. 11(3):547.
- _____(1903): Four interesting Bombay plants. 15(2):363-364.
- YIN, T. (1956): Flowering of "Banga Raja" night flowering cactus. 53(3):502-503.
- _____(1958): *Coelogyne calcicola* Kerr in Burma. 55(2):385.
- ZOBEIDE, (1908): Dates and "datemarks". 18(3): 700-703.